

NORTH WEST LEICESTERSHIRE DISTRICT COUNCIL

LICENSING SUB COMMITTEE – THURSDAY 22 NOVEMBER 2012

Title of report	OBJECTION IN RELATION TO A TEMPORARY EVENT NOTICE
Contacts	<p>Councillor Alison Smith 01530 835668 alison.smith@nwleicestershire.gov.uk</p> <p>Environmental Health Team Manager 01530 454610 lee.mansfield@nwleicestershire.gov.uk</p> <p>Licensing Enforcement Officer 01530 454596 andy.cooper@nwleicestershire.gov.uk</p>
Purpose of report	<p>To consider an objection notice made by the Chief Officer of Police in response to a Temporary Event Notice (TEN) in respect of premises trading as The Lamb Inn, located at 56 Market Street, Ashby de la Zouch, Leicestershire, LE65 1AN. This report outlines the TEN and summarises the representation received. It also highlights the licensing objectives, the relevant parts of Government guidance and the pertinent sections of the Licensing Authority’s Licensing Policy.</p>
Council Priorities	Safer and Healthier District
<p>Implications:</p> <p>Financial/Staff</p> <p>Link to relevant CAT</p> <p>Risk Management</p> <p>Equalities Impact Assessment</p> <p>Human Rights</p>	<p>Implications arising from an appeal made to the Magistrates Court by anyone aggrieved by the decision of the Sub-Committee.</p> <p>Business CAT.</p> <p>The usual risks of cost involved if the applicant appeals against the decision of the Committee. In any event and in order to mitigate these risks, the Committee should give clear reasons for its decisions and any such reasons would need to be substantiated in Court.</p> <p>Equality Impact Assessment already undertaken, issues identified actioned.</p> <p>Article 1 of Protocol 1 of the European Convention of Human Rights provides that everyone is entitled to the peaceful enjoyment of his possessions, except in the public interest and subject to the</p>

	conditions provided for by law.
Transformational Government	Not applicable.
Consultees	Leicestershire Constabulary, Environmental Health (Environmental Protection – Street Action Team)
Background papers	Guidance issued under Section 182 of the Licensing Act 2003 - available for reference at www.culture.gov.uk and Statement of Licensing Policy -available for reference at www.nwleics.gov.uk/licensing
Recommendations	THAT THE SUB-COMMITTEE CONSIDER THE POLICE OBJECTION NOTICE AND DETERMINE WHETHER OR NOT TO ISSUE A COUNTER NOTICE.

1. Background

- 1.1 The premises are a town centre public house facility located at 56 Market Street, Ashby De La Zouch, LE65 1AN and currently hold a premises licence issued under the Licensing Act 2003. A copy of the premises licence is attached as **appendix 1**.
- 1.2 On 2nd November 2012, a temporary event notice was received from Mr S Wallis regarding the intended use of the premises for the provision of regulated entertainment, sale by retail of alcohol and provision of late night refreshment on and off the premises on 17th, 18th and 19th December 2012 from 23.00hrs until 00.00hrs. A copy of the temporary event notice is attached as **appendix 2**.
- 1.3 A map showing the location of the premises is attached as **appendix 3**.
- 1.4 A permitted temporary activity is a licensable activity that is carried on in accordance with a temporary event notice under section 100 and in compliance with the provisions of Part 5 of the Licensing Act 2003.
- 1.5 The temporary event notice is subject to various restrictions and limits. Where the requirements for obtaining a temporary event notice cannot be met, the licensable activity can only be authorised by way of a premises licence.
- 1.6 Officers are satisfied that this temporary event notice has been properly served and the criteria in respect of temporary event notices have been met.

2.0 Representations

- 2.1 In respect of a temporary event notice, the applicant is responsible for submitting a copy of the notice to the Chief Officer of Police and the Environmental Health Section no later than 10 working days before the day on which the event begins or 5 working days before the event if a late application. If the Chief Officer of Police or Environmental Health Section is satisfied that allowing the premises to be used in accordance with the notice would

undermine any of the licensing objectives, he must give a notice to the Licensing Authority and premises licence user detailing the reasons for the decision.

2.2 The applicant provided a copy of the temporary event notices to the Chief Officer of Police and Environmental Health Section as required and an objection notice was received from the Police on 14th November 2012 on the grounds of crime and disorder, public safety and public nuisance. The notice was also served upon the premises user. A copy of the objection notice is attached as **appendix 4**.

2.3 No representation has been received from the Environmental Health Section. (Environmental Protection – Street Action Team)

2.4 The Police have submitted following documentation relating to their objection notice;

- CCTV log - **Appendix 5.**
- Incidents on Market Street log - **Appendix 6.**
- Market Street incidents June 2012 - **Appendix 7.**
- Market Street incidents July 2012 - **Appendix 8.**
- Market Street incidents August 2012 - **Appendix 9.**
- Saturation zone incidents September 2012 - **Appendix 10.**
- Saturation zone incidents during temporary events - **Appendix 11.**
- Map of ambulance pick-ups - **Appendix 12.**

3.0 Statutory Guidance

3.1 In making its decision, the Sub-Committee is obliged to have regard to Guidance issued by the Secretary of State under Section 182 of the Licensing Act 2003. All Licensing Committee members have been provided with a full copy of the guidance document. Officers consider that paragraphs 7.1 to 7.39 of the October 2012 Guidance may have a bearing upon the application.

4.0 Statement of Licensing Policy

4.1 The Sub-Committee is also obliged to have regard to its own Statement of Licensing Policy. Officers consider that paragraphs 16.1 to 16.3 may have a bearing upon the application. The provisions of the Saturation Policy do not apply to TEN applications.

5.0 Observations

5.1 The Committee is obliged to determine this application with a view to promoting the licensing objectives which are;

- the prevention of crime and disorder;
- the prevention of public nuisance;
- public safety;
- The protection of children from harm.

5.2 If the TEN is to be used in connection with licensable activities at a licensed premises, the Licensing Authority may also impose one or more of the existing premises licence

conditions on the TEN (insofar as such conditions are not inconsistent with the event) if it considers that it is appropriate for the promotion of the licensing objectives.

- 5.3 If the Licensing Authority determines, for the promotion of the licensing objectives, to uphold the objection it must give a counter notice detailing the reasons for the decision to the premises user in which case the event cannot proceed.
- 5.4 If the Licensing Authority determines not to give a counter notice, it must give the notice of its decision to the premises user and the Police. The decision whether to issue a counter notice or not must be made and notices issued at least 24 hours before the event is due to begin.
- 5.5 There is a right of appeal to the Magistrates Court against the decision of the Sub-Committee by the premises user if a Counter Notice is issued, or the Police if no Counter Notice is issued. Notwithstanding this, no appeal may be brought later than 5 working days before the day on which the event begins.

NORTH WEST LEICESTERSHIRE DISTRICT COUNCIL

Premises licence number

NWL20273

Part 1 – Premises details

Postal address of premises, or if none, ordnance survey map reference or description

Lamb Inn, 56 Market Street, Ashby de la Zouch

Post town Leicestershire

Post code LE65 1AN

Telephone number

Where the licence is time limited the dates

Licensable activities authorised by the licence

1. Sale by retail of alcohol for consumption on and off the premises
2. Films (indoors)
3. Indoor sporting events
4. Live music (indoors)
5. Recorded music (indoors)
6. Performances of dance (indoors)
7. Anything of a similar description to that in 4, 5 & 6
8. Provision of facilities for making music (indoors)
9. Provision of facilities for dancing (indoors)
10. Provision of facilities for anything similar (indoors)
11. Late night refreshment

The time the licence authorises the carrying out of licensable activities

Sale by retail of alcohol to be consumed on and off the premises:

Monday to Wednesday 09:00 hrs until 23:00 hrs

Thursday and Sunday 09:00 hrs until 00:00 hrs

Friday and Saturday 09:00 hrs until 01:00 hrs the following morning

Thursday, Friday, Saturday, Sunday & Monday of all Bank Holiday weekends, Christmas Eve, Boxing Day, 09:00 hrs until 01:00 hrs the following morning.

New Years Eve 09:00 hrs until terminal hour on New Years day

The premises shall close to the public 30 minutes after the end of Licensable activities.

The premises may open for permitted licensable activities to show the broadcast of televised sporting events of national and international interest outside the above hours.

Films (indoors):

Monday to Wednesday 09:00 hrs until 23:00 hrs

Thursday and Sunday 09:00 hrs until 00:00 hrs

Friday and Saturday 09:00 hrs until 01:00 hrs the following morning

Thursday, Friday, Saturday, Sunday & Monday of all Bank Holiday weekends, Christmas Eve, Boxing Day, 09:00 hrs until 01:00 hrs the following morning.

New Years Eve 09:00 hrs until terminal hour on New Years day

The premises may open for permitted licensable activities to show the broadcast of televised sporting events of national and international interest outside the above hours.

Indoor sporting events:

Monday to Wednesday 09:00 hrs until 23:00 hrs

Thursday and Sunday 09:00 hrs until 00:00 hrs

Friday and Saturday 09:00 hrs until 01:00 hrs the following morning

New Years Eve 09:00 hrs until terminal hour on New Years day

Thursday, Friday, Saturday, Sunday & Monday of all Bank Holiday weekends, Christmas Eve, Boxing Day, 09:00 hrs until 01:00 hrs the following morning.

The premises may open for permitted licensable activities to show the broadcast of televised sporting events of national and international interest outside the above hours.

Live music (indoors):

Monday to Wednesday 09:00 hrs until 23:00 hrs

Thursday and Sunday 09:00 hrs until 00:00 hrs

Friday and Saturday 09:00 hrs until 01:00 hrs the following morning

New Years Eve 09:00 hrs until terminal hour on New Years day

Thursday, Friday, Saturday, Sunday & Monday of all Bank Holiday weekends, Christmas Eve, Boxing Day, 09:00 hrs until 01:00 hrs the following morning.

The premises may open for permitted licensable activities to show the broadcast of televised sporting events of national and international interest outside the above hours.

No time restrictions in relation to entertainment, which is not public but promoted for private gain.

Recorded music (indoors):

Monday to Wednesday 09:00 hrs until 23:00 hrs

Thursday and Sunday 09:00 hrs until 00:00 hrs

Friday and Saturday 09:00 hrs until 01:00 hrs the following morning

New Years Eve 09:00 hrs until terminal hour on New Years day

Thursday, Friday, Saturday, Sunday & Monday of all Bank Holiday weekends, Christmas Eve, Boxing Day, 09:00 hrs until 01:00 hrs the following morning.

The premises may open for permitted licensable activities to show the broadcast of televised sporting events of national and international interest outside the above hours.

No time restrictions in relation to entertainment, which is not public but promoted for private gain.

Performance of dance (indoors):

Monday to Wednesday 09:00 hrs until 23:00 hrs

Thursday and Sunday 09:00 hrs until 00:00 hrs

Friday and Saturday 09:00 hrs until 01:00 hrs the following morning

New Years Eve 09:00 hrs until terminal hour on New Years day

Thursday, Friday, Saturday, Sunday & Monday of all Bank Holiday weekends, Christmas Eve, Boxing Day, 09:00 hrs until 01:00 hrs the following morning.

The premises may open for permitted licensable activities to show the broadcast of televised sporting events of national and international interest outside the above hours.

No time restrictions in relation to entertainment, which is not public but promoted for private gain.

Anything of a similar description:

Sunday to Thursday 09:00 hrs until 00:00 hrs

Friday & Saturday 09:00 hrs until 01:00 hrs the following morning
No time restrictions in relation to entertainment, which is not public but promoted for private gain.

Provision of facilities for making music (indoors):

Monday to Wednesday 09:00 hrs until 23:00 hrs
Thursday and Sunday 09:00 hrs until 00:00 hrs
Friday and Saturday 09:00 hrs until 01:00 hrs the following morning
New Years Eve 09:00 hrs until terminal hour on New Years day
Thursday, Friday, Saturday, Sunday & Monday of all Bank Holiday weekends, Christmas Eve, Boxing Day, 09:00 hrs until 01:00 hrs the following morning.
The premises may open for permitted licensable activities to show the broadcast of televised sporting events of national and international interest outside the above hours.
No time restrictions in relation to entertainment, which is not public but promoted for private gain.

Provision of facilities for dancing (indoors):

Monday to Wednesday 09:00 hrs until 23:00 hrs
Thursday and Sunday 09:00 hrs until 00:00 hrs
Friday and Saturday 09:00 hrs until 01:00 hrs the following morning
New Years Eve 09:00 hrs until terminal hour on New Years day
Thursday, Friday, Saturday, Sunday & Monday of all Bank Holiday weekends, Christmas Eve, Boxing Day, 09:00 hrs until 01:00 hrs the following morning.
The premises may open for permitted licensable activities to show the broadcast of televised sporting events of national and international interest outside the above hours.
No time restrictions in relation to entertainment, which is not public but promoted for private gain.

Provision of facilities for anything similar (indoors):

Monday to Thursday 09:00 hrs until 00:00 hrs
Sunday 09:00 hrs until 00:00 hrs
Friday & Saturday 09:00 hrs until 01:00 hrs the following morning
No time restrictions in relation to entertainment, which is not public but promoted for private gain.

Late night refreshment (indoors):

Monday to Wednesday 23:00 hrs until 23:30 hrs
Thursday & Sunday 23:00 hrs until 00:30 hrs
Friday & Saturday 23:00 hrs until 01:30 hrs

The opening hours of the premises

Monday to Wednesday 09:00 hrs until 23:30 hrs
Thursday and Sunday 09:00 hrs until 00:30 hrs
Friday and Saturday 09:00 hrs until 01:30 hrs the following morning
New Years Eve 09:00 hrs until 30 minutes after the terminal hour on New Years day
Thursday, Friday, Saturday, Sunday & Monday of all Bank Holiday weekends, Christmas Eve, Boxing Day, 09:00 hrs until 01:00 hrs the following morning.
The premises shall close to the public 30 minutes after the end of Licensable activities.
The premises may open for permitted licensable activities to show the broadcast of televised sporting events of national and international interest outside the above hours and shall close to the public 30 minutes after the end of Licensable activities.

Where the licence authorises supplies of alcohol whether these are on and/or off supplies

Sale by retail of alcohol for consumption on and off the premises

Part 2

Name, (registered) address, telephone number and e-mail (where relevant) of holder of premises licence

Samuel William Wallis
The Lamb Inn
Market Street
Ashby De La Zouch
Leicestershire
LE65 1AN

Registered number of holder, for example company number, charity number (where applicable)

Name, address and telephone number of designated premises supervisor where the premises licence authorises the supply of alcohol

Samuel William Wallis
The Lamb Inn
Market Street
Ashby De La Zouch
Leicestershire
LE65 1AN

Personal licence number and issuing authority of personal licence held by designated premises supervisor where the premises licence authorises for the supply of alcohol

Personal Licence number of Designated Premises Supervisor: NWL 10176

Issuing Authority: North West Leicestershire District Council

Signed:

Andrew Cooper
Licensing Enforcement Officer
Dated: 17th April 2012

Annex 1 – Mandatory conditions

1. The permitted hours stated above for the sale of alcohol do not prohibit:
 - a) Consumption of the alcohol on the premises or the taking of sale or supply of alcohol to any person residing in the licensed premises;
 - b) The ordering of alcohol to be consumed off the premises, or the despatch by the vendor of the alcohol so ordered;
 - c) The sale of alcohol to a trader or club for the purposes of the trade or club;
 - d) The sale or supply of alcohol to any canteen or mess, being a canteen in which the sale or supply of alcohol is carried out under the authority of the Secretary of State or an authorised mess of members of Her Majesty's naval, military or air forces;
 - e) The taking of alcohol from the premises by a person residing there; or
 - f) The supply of alcohol for consumption on the premises to any private friends of a person residing there who are bona fide entertained by him at his own expense, or the consumption of alcohol by persons so supplied; or
 - g) The supply of alcohol for consumption on the premises to persons employed there for the purposes of the business carried on by the holder of the licence, or the consumption of liquor so supplied, if the liquor is supplied at the expense of their employer or of the person carrying on or in charge of the business on the premises.

2. No supply of alcohol may be made under the premises licence;
 - a) at a time when there is no designated premises supervisor in respect of the premises licence, or
 - b) at a time when the designated premises supervisor does not hold a personal licence or his personal licence is suspended.

Every supply of alcohol must be made or authorised by a person who holds a personal licence.

4. Dancing music or any other entertainment of the like kind which is not a public entertainment but is promoted for private gain (Section 2 of the Private Places of Entertainment (Licensing) Act 1967) may be provided without time restrictions.
5. The admission of children to the exhibition of any film is to be restricted in accordance with these conditions and Section 20 of the Licensing Act 2003.
6. Where the film classification body is specified in the Licence, unless condition 7(b) applies, admission of children must be restricted in accordance with any recommendation made by that body.
7. Where –
 - (a) The film classification body is not specified in the licence, or
 - (b) The relevant licensing authority has notified the holder of the licence that this subsection applies to the film in question

Admission of children must be restricted in accordance with any recommendation made by that licensing authority.

8. In this section "children" means persons aged under 18; and "film classification body" means the person or persons designated as the authority under section 4 of the

Mandatory conditions coming into force from 6th April 2010:

1. (1) The responsible person shall take all reasonable steps to ensure that staff on relevant premises do not carry out, arrange or participate in any irresponsible promotions in relation to the premises.
 - (2) In this paragraph, an irresponsible promotion means any one or more of the following activities, or substantially similar activities, carried on for the purpose of encouraging the sale or supply of alcohol for consumption on the premises in a manner which carries a significant risk of leading or contributing to crime and disorder, prejudice to public safety, public nuisance, or harm to children—
 - (a) games or other activities which require or encourage, or are designed to require or encourage, individuals to—
 - (i) drink a quantity of alcohol within a time limit (other than to drink alcohol sold or supplied on the premises before the cessation of the period in which the responsible person is authorised to sell or supply alcohol), or
 - (ii) drink as much alcohol as possible (whether within a time limit or otherwise);
 - (b) provision of unlimited or unspecified quantities of alcohol free or for a fixed or discounted fee to the public or to a group defined by a particular characteristic (other than any promotion or discount available to an individual in respect of alcohol for consumption at a table meal, as defined in section 159 of the Act);
 - (c) provision of free or discounted alcohol or any other thing as a prize to encourage or reward the purchase and consumption of alcohol over a period of 24 hours or less;
 - (d) provision of free or discounted alcohol in relation to the viewing on the premises of a sporting event, where that provision is dependent on—
 - (i) the outcome of a race, competition or other event or process, or
 - (ii) the likelihood of anything occurring or not occurring;
 - (e) selling or supplying alcohol in association with promotional posters or flyers on, or in the vicinity of, the premises which can reasonably be considered to condone, encourage or glamorise anti-social behaviour or to refer to the effects of drunkenness in any favourable manner.
2. The responsible person shall ensure that no alcohol is dispensed directly by one person into the mouth of another (other than where that other person is unable to drink without assistance by reason of a disability).
3. The responsible person shall ensure that free tap water is provided on request to customers where it is reasonably available.

Mandatory conditions coming into force from 1st October 2010:

1. (1) The premises licence holder or club premises certificate holder shall ensure that an age verification policy applies to the premises in relation to the sale or supply of alcohol.

(2) The policy must require individuals who appear to the responsible person to be under 18 years of age (or such older age as may be specified in the policy) to produce on request, before being served alcohol, identification bearing their photograph, date of birth and a holographic mark.
2. The responsible person shall ensure that –
 - (a) where any of the following alcoholic drinks is sold or supplied for consumption on the premises (other than alcoholic drinks sold or supplied having been made up in advance ready for sale or supply in a securely closed container) it is available to customers in the following measures –
 - (i) beer or cider: ½ pint;
 - (ii) gin, rum, vodka or whisky: 25 ml or 35 ml; and
 - (iii) still wine in a glass: 125 ml; and
 - (b) customers are made aware of the availability of these measures.

Annex 2 – Conditions consistent with the operating schedule

1. Where the premises open for licensable activities to show the broadcast of televised sporting events of national or international interest outside normal operating hours, 7 days prior written notice shall be given to the Leicestershire Constabulary before the premises intend to open. Such notification shall include the opening times and the sporting event which is to be shown.
2. Any person exercising a security activity (as defined by paragraph 2(1)(a) of Schedule 2 of the Private Security Act 2001) shall be Licensed by the Security Industry Authority.
3. Any person exercising a security activity (as above) shall only be employed at the Premises at the discretion of the Designated Premises Supervisor or holder of the Premises Licence.
4. No customers apparently carrying open bottles upon entry shall be admitted to the premises at any time the Premise is open to the public.
5. Where CCTV is installed with recording facilities such recording will be retained for a period of 30 days and made available with a reasonable time upon request by the police.
6. Alcoholic and other drinks may not be removed from the premises in open containers save for consumption in any external area provided for that purpose.
7. To comply with the reasonable requirements of the Fire Officer from time to time.
8. To comply with the reasonable requirements of the building control officer.
9. Where appropriate, prominent, clear and legible notices shall be displayed at all exits requesting the public respect the needs of local residents and to leave the premises and area quietly.
10. Noise and vibration shall not emanate from the premises so as to cause a nuisance to nearby properties.
11. No films or videos of any description will be shown so that they can be viewed by persons under the age of any applicable BBFC/Local Authority certification.
12. Children under the age of 16 shall not be permitted to enter the premises after 21:00 hrs on any day.
13. The capacity for the premises is 350 including all staff and performers.
14. The approved electronic noise cut off device to control the bass volume of amplified music be used and maintained.
15. The at cut off level of the above mentioned device is set by the District Councils Head of Environmental Protection or equivalent person employed by the District Council.
16. When amplified music is played all windows and side entrance doors must be closed. The front door must be closed other than for ingress and egress.
17. Teat/Sound proof all doors, windows and other openings on all elevations except the front elevation opening directly on to Market Street.

18. Without prejudice to the responsibilities of the licensee under the terms of the licence:
- a) The licensee or some responsible person appointed by him in writing, not being a person under 18 years of age, shall be in charge of and upon the premises for the whole of the time the premises are open. The person for the time being in charge of the premises shall not engage in any duties which are likely to prevent him from being able to exercise proper supervision over the conduct of the premises.
 - b) Where the premises are managed by a person other than the licensee the licensee shall ensure that such person is familiar with the terms of the licence and these conditions.
 - c) Where the premises are sub-let the licensee shall notify the hirer(s) of the terms of the licence and these conditions in writing.
 - d) The licensee must be aware of certain entertainments or performances which can present additional dangers to the audience - those involving younger audiences from effects of over excitement and irrational behaviour and those comprising elderly people whose mobility may be impaired. In such circumstances he must ensure that there are sufficient numbers of competent and adequately trained staff to cover any emergency.
 - e) The licensee or his representative shall be in direct control of any public address system, which can override an entertainment or performance and be clearly heard in all parts of the premises.
 - f) Before the public is admitted to any entertainment or performance the licensee or his representative must carry out checks on exits, escape routes and the premises generally.
 - g) During the entertainment or performance the licensee or his representative is responsible for ensuring that where appropriate the safety curtain is lowered and raised.
 - h) The licensee is responsible for ensuring that fire instruction notices, fire fighting equipment, the fire alarm system and electrical and gas installations are adequately provided and maintained and furthermore examined regularly by a competent person to ensure that the equipment is maintained in a safe condition.
 - i) The licensee must ensure that all floor coverings, furniture and furnishings, scenery props, curtains, drapes and hangings meet the appropriate standards (see guidance note B)
19. The availability of access/egress for the disabled should be actively encouraged by licensees as appropriate to their premises. All permanent provisions must comply with the Building Regulations and British Standard 5588: Part 8 and to the satisfaction of the Council or its authorised officers. Where access/egress for disabled persons is provided the licensee must ensure that all his staff are aware of any additional precautions which are deemed necessary.
20. The licensee is responsible for training in respect of fire precautions and evacuation proceedings and must ensure that every member of staff is instructed and trained in the following:
- a) The action to be taken upon discovery of the fire.
 - b) The action to be taken upon hearing the fire alarm.
 - c) Raising the alarm, including the location of the alarm call point and alarm indicator panels.
 - d) The correct method of calling the fire brigade.
 - e) The location and use of fire fighting equipment.
 - f) Knowledge of escape routes, including any stairway not in regular use.
 - g) Knowledge of the method of operation of any special escape door fastenings.

- h) Appreciation of the importance of fire doors and the need to close all doors at the time of a fire and on hearing the fire alarm.
 - i) The operations of all escape doors not in regular use to ensure that they function satisfactorily.
 - j) Evacuation of the building to an assembly point at a place of safety (to include reassuring the public and escorting them out of the premises).
 - k) Access/egress of disabled persons and any additional precautions which are deemed necessary.
21. It is particularly important that a licensee ensures that where, for operational reasons, staff are transferred to another part of the premises, they are made aware of the means of escape and fire procedures of the work area (including any additional responsibilities) if this differs from their permanent day station.
22. The licensee must keep records of staff training to include the names of the staff attending each practice drill and details of the training and instruction given. The following information must be recorded:
- i) Date of the instruction or exercise.
 - ii) Duration.
 - iii) Name of the person giving the instruction.
 - iv) Name of the person(s) receiving the instruction.
 - v) The nature of the instruction, training or drill.
23. The licensee or a competent person appointed by him must conduct a fire drill at least once a month. They must be attended by at least one third of the staff including any member who has been appointed since the previous practice drill or who has not attended a practice drill within the preceding three months. Where one off performances are given, all staff should be made aware of the duties prior to the event. Also he/she must be aware that where access/egress for disabled persons is provided that all staff are aware of any additional precautions deemed necessary.
24. The licensee shall ensure that noise emitted from the premises shall not cause a nuisance to nearby occupiers or residents. Any form of amplification shall be controlled by the licensee so as to prevent such a nuisance. The Council, through its authorised officers, may at any time indicating in writing to the licensee, the maximum sound levels permitted to be emitted from the premises and the licensee on receipt of such notification shall forthwith comply with the requirements.
25. A police officer or any authorised officer may enter the premises at any time when they are open, or there is a reason to believe an entertainment or performance is being, or about to be, given in any place where the licence is in force.
26. The licensing conditions are covered by appropriate explanations. However, they cannot fully cover all eventualities and where further detail is required regarding the condition or areas not specified in the conditions, then the Guide should be used for reference.
27. A log book must be maintained on the premises in which all the following records are kept:
- a) Staff training.
 - b) Fire drills.
 - c) Emergency lighting tests in accordance with the current British Standard (see guidance note A).
 - d) Fire alarm tests in accordance with the current British Standard (see guidance note C).
 - e) Fire fighting equipment annual testing.

- f) RCD testing.
28. The Chief Constable or the police officer in charge may reasonably require the entertainment or performance to be suspended or the premises closed at any time for the preservation of the peace and the safety of the performers, contestants or other persons present.
29. No child apparently under the age of five years shall be admitted to the premises unless the child is accompanied by and in the charge of a parent or some other person who appears to have attained the age of sixteen years.
30. No child shall be employed on or about the premises. Provided that this condition shall not apply to any employment to which Sections 37-39 of the Children and Young Persons Act 1963 applies.
31. Arrangements shall be made to ensure that the person in charge of the premises is aware of the number of persons (including those employed in the premises) present on the premises at any one time, and that such information is available to any Authorised Officer, Fire Officer or any Police Officer on request.
32. The licensee must ensure that attendants are aware of the procedure in case of fire and notices relating to the procedure shall be prominently displayed in areas frequently by such staff.
33. The number of attendants on duty to assist persons (other than those employed in the premises) in entering or leaving the premises, shall, in any case, not be less than:
- i) One for 250 such persons at venues with fixed seating for all or most of the audience
 - ii) One for 100 such persons at venues without seating for all or most of the audience
 - iii) One for 50 persons at venues without seating for all or most of the audience and where the audience is all or mainly comprised of persons under 16 years of age, and
 - iv) if the number of persons present on any upper floor or tier does not exceed 100, there shall be at least one additional attendant on duty on that floor or tier
 - v) if the number of persons present on any upper floor or tier exceeds one hundred there shall be at least two additional attendants on duty on that floor or tier

The Premises

34. All parts of the premises and the fittings and apparatus therein, including the lighting, electrical heating, ventilating, mechanical and other installations shall be maintained in good order and condition.
35. Gangways, doorways, corridors, staircases and external passageways satisfactory to the Licensing Authority in number, size and position shall be provided and maintained

for the purpose of affording ready and ample means of safe egress from all parts of the premises. In premises such as roller discos or similar entertainments, suitable ramps from the hall to the exterior of the building must be provided.

36. All chains, padlocks, or other fastening devices for securing exit doors when the premises are not open, shall be removed by a responsible person before the premises are open and they shall not be replaced while the premises are open.
37. All doors and openings intended for the egress of persons (other than those employed in the premises) shall be provided with an EXIT sign, placed above the door or opening, conforming to the current British Standard Code of Practice.
38. Where it is considered necessary, a directional arrow showing the route of exit shall be incorporated.
39. Doors and openings not intended for the egress of persons (including those employed in the premises) shall have notices placed over or upon them indicating the use of the portion of the premises to which they lead, or bearing the words "PRIVATE" in accordance with the current British Standard Code of Practice.
40. All gangways in the hall, shall, while the premises are open, be kept free from obstruction on, provided that persons in wheelchairs may be permitted, with consent of the Licensing Authority or Chief Fire Officer, to sit in the auditorium in invalid chairs, other than petrol driven wheelchairs.
41. Curtains hung over doorways or across corridors shall not conceal exit notices, shall be parted in the middle and shall be hung so that they can be readily drawn aside, and so as to hang clear of the floor by at least 50mm.
42. The licensee shall throughout the whole time the premises are open to the public ensure that all passageways from exits out of the premises through any car park, passageways or other spaces leading to a public thoroughfare are kept entirely free from obstructions and that cars, bicycles or other vehicles are not parked in unauthorised places or in such a way as to obstruct or otherwise constitute a danger to persons leaving the premises.
43. No fastenings other than automatic "panic" bolts or other approved fittings shall be fitted to exit doors. These bolts shall be fitted and be of such a pattern that horizontal pressure on either bar will open the doors. The cross bars shall not be placed at a greater height than 1,000mm from the ground. Doors so fitted shall have a notice "PUSH BAR TO OPEN" in letters at least 100mm high and in accordance with the current British Standard Code of Practice affixed just above the bar.
44. If chains and padlocks are used to secure exit doors when persons (including those employed in the premises) are not on the premises, a chain board shall be provided in an approved position and before the admission of persons (including those employed in the premises) the chains and padlocks shall be hung upon such boards each in an allotted position.
45. The electrical installation to be inspected at the times prescribed by the Licensing Authority by a competent electrical engineer.
46. In addition to the general lighting, emergency lighting adequate to enable persons (including those employed in the premises) to see their way out of the premises without assistance from the general lighting shall be provided to the satisfaction of the Chief Fire Officer.

47. The emergency lighting shall be supplied from a source other than that which supplies the general lighting, but this shall not prohibit the use of trickle charged electric batteries supplied with electricity from the same source as the general lighting provided that the batteries are fully charged before persons (other than those employed in the premises) are admitted and that the capacity of the batteries is sufficient to supply at normal voltage the full load of the emergency lighting for not less than one/three hours* as specified in the schedule. All new installations will require to have a three hour emergency lighting system.
48. All new, rewired or substantially altered emergency lighting system shall comply with the current edition of British Standard 5266 or where the standard is superseded, its replacement.
49. Emergency lighting systems are to be tested and serviced in accordance with the provisions of BS5266 or any replacement standard (see guidance note A) as appropriate and the results recorded in the log book.
50. The supply of electricity for spotlights, effects, lamps or other electrical apparatus for the production of lighting or optical effects shall be by way of a circuit or circuits not used for supplying electricity for the general lighting or the emergency lighting.
51. Adequate fire-fighting equipment of a type and in positions to the satisfaction of the Licensing Authority shall be provided, and maintained in proper working order and available for instant use.
52. All fire-fighting equipment shall be checked by the makers or recognised fire engineers **ANNUALLY** to ensure that equipment is maintained in an efficient working order.
53. If any fire occurs on the premises, or if any report or alarm of fire is made or given, the Fire Service shall be called immediately.
54. Refuse shall be removed from the premises and deposited in suitable receptacles situated away from the building, at the conclusion of each function.
55. Such accommodation shall be kept in good order and repair, properly cleansed and ventilated and adequately lit.
56. Wash hand basins shall be provided with hot and cold running water (or water at a controlled temperature), soap and suitable means of drying.
57. Effective provision shall be made and maintained for the supply of fresh air in the premises, and any equipment, ducts etc kept clean and in proper working order.
58. Detailed instructions as to the working of an mechanical or automatic ventilation system shall be exhibited in a suitable position.
59. Electrical fire alarm systems, where appropriate, are to be installed and maintained in accordance with British Standard 5839 or, if superseded, its replacement.
60. The annual tests, as required by the Licensing Authority and specified in guidance note C, must be completed by a competent person.

Special Risks

61. In addition, the following must be complied with:
 - i) Propane gas (normally in red cylinders) is prohibited for indoor use and is unacceptable for temporary installations.

- ii) All cylinders must be at or about ground level.
- iii) All cylinders must be kept in the vertical position and firmly secured at all times except during changing or removal.
- iv) No trailing pipes, especially across floors are permitted and cylinders must be either contained within the appliance they serve, or immediately adjacent to it.
- iii) Only approved appliances conforming to the British Standards Specification shall be used. Their position must have due regard to combustible material, especially wooden structures, curtains and drapes.
- iv) The use of LPG, its storage and changing of cylinders or bottles, shall be carried out in accordance with all relevant Codes of Practice and the manufacturer's or supplier's recommendations. Any cylinders not in use whether full or empty shall be kept outside the building.
- vi) Adequate ventilation shall be provided and maintained to all rooms where LPG is stored or used.
- v) LPG cylinders or appliances shall not be used in any part of the premises to which the public has access, and in particular shall not be stored, kept or used in passageways, corridors or near exits required for escape.

GUIDANCE NOTE A EMERGENCY LIGHTING

1. Servicing

1.1 Testing and Maintenance

Only the relevant parts of the following tests are to be completed in respect of the premises installation. Clarification and instruction, if required should be obtained from the installing, inspecting engineer.

1.1.1 Supervision

Regular servicing is essential. The occupier/owner of the premises should appoint a competent person to supervise the system. This person should be given sufficient authority to ensure the carrying out of any work necessary to maintain the system in correct operation.

1.2 Batteries

In all cases the manufacturer's instructions should be followed. It is particularly important that where applicable:-

- (a) The tops of batteries and their terminals are kept clean and unobstructed and that battery cases are periodically checked for leaks;
- (b) The electrolyte is at all times kept at the correct level as recommended by the manufacturer;
- (c) Any replacement battery should be compatible with the battery charger;
- (d) Any replacement cell should be compatible with the battery;
- (e) Any replacement battery charger should be compatible with the battery.

1.3 Routine Inspections and Tests

1.3.1 General

Because of the possibility of a failure of the normal lighting supply occurring shortly after a period of testing of the emergency lighting system or during the subsequent recharge period, all tests should wherever possible be undertaken at time of minimum risk.

Alternatively suitable temporary arrangements should be made until the batteries have been recharged.

- (a) Daily
- (b) Monthly
- (c) Six-monthly
- (d) Three-yearly
- (e) Subsequent annual test

**GUIDANCE NOTE B
FIRE ALARM TESTING AND MAINTENANCE**

1. ROUTINE TESTING

1.1 Commentary

Although modern fire alarm systems may incorporate a high degree of monitoring, so that faults are indicated automatically, it is still necessary for the responsible person nominated by the user to ensure that fault indications at the panel are identified for appropriate action. It is also vital for a regular test to be carried out to ensure that there has not been any major failure of the entire system, or a significant part of the system.

Routine testing of the system also provides an opportunity for occupants of the building to become, and remain, familiar with the fire alarm signal(s) that the system produces. In systems with staged alarms that incorporate an "Alert" and an "Evacuate" signal, both signals need to be operated on the occasion of each test to ensure that occupants are aware of the existence of both signals and their different meaning.

1.1.1 Recommendations for weekly testing by the user

When testing the fire detection system, there may be a need to isolate ancillary outputs.

The following recommendations apply:

- (a) Every week, a manual call point should be operated during normal working hours. It should be confirmed that the control equipment is capable of processing a fire alarm signal and providing an output to fire alarm sounders, and to ensure that the fire alarm signal is correctly received at any alarm-receiving centre to which fire alarm signals are transmitted. It is not necessary to confirm that all fire alarm sounder circuits operate correctly at the time of this test.

NOTE 1: It is essential that any alarm receiving centre is contacted immediately before, and immediately after, the weekly test to ensure that unwanted alarms are avoided and that fire alarm signals are correctly received at the alarm receiving centre.

NOTE 2: The user needs to take account of the manufacturer's recommendations, particularly when battery powered devices are being tested, e.g. within radio-linked fire alarm systems.

- (b) The weekly test should be carried out at approximately the same time each week; instructions to occupants should then be that they should report any instance of poor audibility of the fire alarm signal. In systems with staged alarms incorporating an "Alert" and an "Evacuate" signal, the two signals should be operated, where practicable, sequentially in the order they would occur at the time of a fire (i.e. "Alert" and then "Evacuate").
- (c) In premises in which some employees only work during hours other than that at which the fire alarm system is normally tested, an additional test(s) should be carried out at least once a month to ensure familiarity of these employees with the fire alarm signal(s).

- (d) A different manual call point should be used at the time of every weekly test, so that all manual call points in the building are tested in rotation over a prolonged period. There is no maximum limit for this period (e.g. in a system with 150 manual call points, the user will test each manual call point every 150 weeks). The result of the weekly test and the identify of the manual call point used should be recorded in the system log book.
- (e) The duration for which any fire alarm signal is given (other than solely at control and indicating equipment) at the time of the weekly test by the user should not normally exceed one minute, so that, in the event of a fire at the time of the weekly test, occupants will be warned by the prolonged operation of the fire alarm devices.
- (f) Voice alarm systems should be tested weekly in accordance with the recommendations of BS 5839-8.

1.1.2 Recommendations for monthly attention by the user

The following recommendations apply:

- (a) If an automatically started emergency generator is used as part of the standby power supply it should be started up once each month by simulation of failure of the normal power supply and operated on-load for at least one hour. The test should be carried out in accordance with the instructions of the generator manufacturer, including instructions on the load that should be operated. At the end of the test, the fuel tanks should be left filled, and the oil and coolant levels should be checked and topped up as necessary.
- (b) If vented batteries are used as a standby power supply, a visual inspection of the batteries and their connections should be made to ensure that they are in good condition. Action should be taken to rectify any defect, including low electrolyte level.

NOTE: Care should be taken to ensure that any person undertaking these tasks is competent to do so safely and has the relevant technical knowledge and training.

1.2 Inspection and Servicing

1.2.1 Commentary

It is essential that the system is subject to periodic inspection and servicing so that unrevealed faults are identified, preventive measures can be taken to ensure the continued reliability of the system, false alarm problems are identified and suitably addressed, and that the user is made aware of any changes to the building that affect the protection afforded by the system.

Periodic inspection and servicing needs to be carried out by a competent person with specialist knowledge of fire detection and alarm systems, including knowledge of the causes of false alarms, sufficient information regarding the system, and adequate access to spares.

This will normally be an outside fire alarm servicing organisation; care needs to be taken to ensure that, if, for example, in-house employees are used for this task, they have equivalent competence to the technicians of a typical fire alarm servicing organisation. Competence of a fire alarm servicing organisation can be assured by the use of organisations that are third-party certificated, by a UKAS-certificated certification body, to carry out inspection and servicing of fire alarm systems.

1.2.2 Recommendation for quarterly inspection of vented batteries

All vented batteries and their connections should be examined by a person competent in battery installation and maintenance technology. Electrolyte levels should be checked and topped up as necessary.

NOTE In many large premises and sites, in-house maintenance personnel may be competent to carry out this task.

1.2.3 Recommendations for periodic inspection and test of the system

Some fire detection and fire alarm systems and components claim to include features that permit functions to be automatically monitored, and faults or warnings to be annunciated, or otherwise made available to authorised persons. In cases where this is proven, the recommendations for routine testing under this subclause and in 1.2.4 may be modified to omit testing which is proven to be unnecessary by the equipment manufacturer, provided it can be proven that the automatic monitoring achieves the same objective as the appropriate test recommended in this subclause and/or 1.2.4. In the case of detectors (all types), tests should ensure that products of combustion are capable of passing unhindered from the protected area to the sensing chamber/elements of the detector and not simply test the ability of the detector to sample/verify the status of the atmosphere already in the sensing chamber.

The recommendations in this clause should be carried out by a competent person. The period between successive inspection and servicing visits should be based upon a risk assessment, taking into account the type of system installed, the environment in which it operates and other factors that may affect the long term operation of the system. The recommended period between successive inspection and servicing visits should not exceed six months. If this recommendation is not implemented, it should be considered that the system is no longer compliant with this part of BS 5839.

The following recommendations are applicable:

- (a) The system log book should be examined. It should be ensured that any faults recorded have received appropriate attention.
- (b) A visual inspection should be made to check whether structural or occupancy changes have affected the compliance of the system with the recommendations of this standard for the siting of manual call points, automatic fire detectors and fire alarm devices. Particular care should be taken to verify whether:
 - (1) all manual call points remain unobstructed and conspicuous;
 - (2) any new exits have been created without the provision of an adjacent manual call point;
 - (3) any new or relocated partitions have been erected within 500 mm horizontally of any automatic fire detector;
 - (4) any storage encroaches within 300 mm of ceilings, such as to obviate compliance;
 - (5) a clear space of 500 mm is maintained below each automatic fire detector, and that the ability of the detector to receive the stimulus that it has been designed to detect has not been impeded by other means;

- (6) any changes to the use or occupancy of an area makes the existing types of automatic fire detector unsuitable for detection of fire or prone to unwanted alarms;
 - (7) any building alterations or extensions require additional fire detection and alarm equipment to be installed.
- (c) The records of false alarms should be checked. The rate of false alarms during the previous 12 months should be recorded. Action taken in respect of false alarms recorded should comply with the recommendations.
 - (d) The standby battery should be disconnected and full load alarm should be simulated.
 - (e) Batteries and their connections should be examined and momentarily load tested with the mains disconnected (other than those within devices such as manual call points, detectors and fire alarm sounders of a radio-linked system), to ensure that they are in good serviceable condition and not likely to fail before the next service visit. Vented batteries should be examined to ensure that the specific gravity of each cell is correct.
 - (f) The fire alarm functions of the control and indicating equipment should be checked by the operation of at least one detector or manual call point on each circuit. An entry should be made in the log book indicating which initiating devices have been used for these tests.
 - (g) The operation of the fire alarm devices should be checked.
 - (h) All controls and visual indicators at control and indicating equipment should be checked for correct operation.
 - (i) The operation of any facility for automatic transmission of alarm signals to an alarm receiving centre should be checked. Where more than one form of alarm signal can be transmitted (e.g. fire and fault signals), the correct transmission of each signal should be confirmed.
 - (j) All ancillary functions of the control and indicating equipment should be tested.
 - (k) All fault indicators and their circuits should be checked, where practicable, by simulation of fault conditions.
 - (l) All printers should be tested to ensure that they operate correctly and that characters are legible. It should be ensured that all printer consumables are sufficient in quantity or condition to ensure that the printer can be expected to operate until the time of the next service visit.
 - (m) Radio systems of all types should be serviced in accordance with the recommendations of the manufacturer:
 - (n) All further checks and tests recommended by the manufacturer of the control and indicating equipment and other components of the system should be carried out.
 - (o) On completion of the work, any outstanding defects should be reported to the responsible person, the system log book should be completed and a servicing certificate should be issued.

1.2.4 Recommendations for inspection and test of the system over a 12 month period

In addition to the work recommended in 1.2.3 it is recommended that the following work be carried out every year.

NOTE 1: The work described may be carried out over the course of two or more service visits during each twelve month period.

- (a) The switch mechanism of every manual call point should be tested, either by removal of a frangible element, insertion of a test key or operation of the device as it would be operated in the event of fire.
- (b) All automatic fire detectors should be examined, as far as practicable, to ensure that they have not been damaged, painted, or otherwise adversely affected. Thereafter, every detector should be functionally tested. The tests used need prove only that the detectors are connected to the system, are operational and are capable of responding to the phenomena they are designed to detect.
- (c) Every heat detector should be functionally tested by means of a suitable heat source, unless operation of the detector in this manner would then necessitate replacement of part of all of the sensing element (e.g. as in fusible link point detectors or non-integrating line detectors). Special test arrangements will be required for fusible link heat detectors. The heat source should not have the potential to ignite a fire; live flame should not be used, and special equipment might be necessary in explosive atmospheres.
- (d) Point smoke detectors should be functionally tested by a method that confirms that smoke can enter the detector chamber and produce a fire alarm signal (e.g. by use of apparatus that generates simulated smoke or suitable aerosols around the detector). It should be ensured that the material used does not cause damage to, or affect the subsequent performance of, the detector; the manufacturer's guidance on suitable materials should be followed.
- (e) Optical beam smoke detectors should be functionally tested by introducing signal attenuation between the transmitter and receiver, either by use of an optical filter, smoke or simulated smoke.
- (f) Aspiring fire detection systems should be functionally tested by a method that confirms that smoke can enter the detector chamber and produce a fire alarm signal. It should be ensured that the material used does not cause damage to or affect the subsequent performance of the detectors; the manufacturer's guidance on suitable materials should be followed.

Furthermore, appropriate testing should be performed to verify that smoke is able to enter each sampling point (or collection of sampling points that are recommended by the manufacturer to cover the same area as a point smoke detector).

This can be achieved by introducing smoke into each sampling point in turn and verifying a response at the detector. However, where access is restricted or other site conditions prevent this, other verification techniques should be employed such as:

- verifying transport time from furthest hole or a dedicated test point and comparing with previously recorded results to identify deviations;

- confirming that the flow monitoring is capable of detecting loss of a single sampling point (or collection of sampling points that are deemed to be acceptable for the risks involved);
- inspection of flow readings and comparing with previously recorded results to identify deviations which would indicate a loss of detection performance;
- measurement of the pressure at each sampling point and comparing with previously recorded results to identify deviations which would indicate a loss of detection performance.

The technique used is dependent on the particular features of the ASD technology, the risk and details of the specific application. Such techniques may also be supported by visual inspection of sampling points where this is possible but it is essential to verify that adequate detection performance is maintained. Details of the techniques used should be recorded and agreed with all parties.

NOTE 2: For further guidance see the BFPSA Code of Practice for Category 1 Aspirating Detection Systems.

- (g) Carbon monoxide fire detectors should be functionally tested by a method that confirms that carbon monoxide can enter the detector chamber and produce a fire alarm signal (e.g. by use of apparatus that generates carbon monoxide or a gas that has a similar effect on the electro-chemical cell as carbon monoxide).

WARNING: Carbon monoxide is a highly toxic gas, and suitable precautions should be taken in its use.

NOTE 3: It should be ensured that any test gas used does not cause damage to, or affect the subsequent performance of, the detector; the manufacturer's guidance on suitable test gases should be followed.

- (h) Flame detectors should be functionally tested by a method that confirms that the detector will respond to a suitable frequency of radiation and produce a fire alarm signal. The guidance of the manufacturer on testing of the detectors should be followed.
- (i) In fire detection systems that enable analogue values to be determined at the control and indicating equipment, it should be confirmed that each analogue value is within the range specified by the manufacturer.
- (j) Multi-sensor detectors should be operated by a method that confirms that products of combustion in the vicinity of the detector can reach the sensors and that a fire signal can be produced as appropriate. The guidance of the manufacturer on the manner in which the detector can be functionally tested effectively should be followed.
- (k) All fire alarm devices should be checked for correct operation. It should be confirmed that visual fire alarm devices are not obstructed from view and that their lenses are clean.
- (l) All unmonitored, permanently illuminated filament lamp indicators at control and indicating equipment should be replaced.
- (m) Radio signal strengths in radio-linked systems should be checked for adequacy.

- (n) A visual inspection should be made to confirm that all readily accessible cable fixings are secure and undamaged.
- (o) The cause and effect programme should be confirmed as being correct.
- (p) The standby power supply capacity should be checked to establish it remains suitable for continued service.
- (q) All further annual checks and tests recommended by the manufacturer of the control and indicating equipment and other components of the system should be carried out.

On completion of the work, any outstanding defects should be reported to the responsible person and a record of the inspection and test should be made on the servicing certificate.

NOTE 4: Since stimulus of the sensing element through introduction of the phenomena or surrogate phenomena which the above detectors are designed to detect forms part of the test, use of a test button or a test magnet (for example) or compliance with 1.2.4 (1) does not satisfy the recommendations given.

2. NON-ROUTINE ATTENTION

2.1 Commentary

The arrangements in Clause 1 are intended to maintain the system in operation under normal circumstances. However, from time to time, the fire alarm system is likely to require non-routine attention, including special maintenance. Non-routine maintenance includes:

- a special inspection of an existing fire alarm system when a new servicing organisation takes over servicing the system;
- repair of faults or damage;
- modification to take account of extensions, alterations, changes in occupancy or false alarms;
- action to address an unacceptable rate of false alarms;
- inspection and test of the system following a fire.

2.1.1 Recommendations for special inspection on appointment of a new servicing organisation

The following recommendations apply:

- (a) When a servicing organisation takes over servicing arrangements for an existing system, a special inspection should be carried out, and existing records, where available, should be studied, to obtain sufficient information to be documented for effective future servicing of the system.
- (b) Major areas of non-compliance with this standard should be documented and identified to the responsible person appointed by the user. The classification of a non-compliance as major is subjective, but the following non-compliances should be regarded as major:

NOTE 1: It is not implied that non-compliances need to be rectified; this is a matter for the user to determine, based on the advice of the servicing organisation, the enforcing authorities, the insurer and any third-party advisers engaged by the user, as appropriate.

- (1) an inadequate number of call points to comply with the recommendations;
 - (2) inadequate provision of fire detection to comply with the recommendations of this standard for the Category of system that the system was designed to meet;
 - (3) sound pressure levels that fail to comply with the recommendations;
 - (4) standby power supplies that fail to comply with the recommendations. The absence of any standby power supply should be highlighted to the responsible person, as systems that incorporate no standby power supply breach the Health and Safety (Safety Signs and Signals Regulations 1996 [1];
 - (5) cabling with fire resistance that fails to comply with the recommendations;
 - (6) monitoring of circuits that fail to comply with the recommendations;
 - (7) standards of electrical safety such that the recommendations are not satisfied;
 - (8) exposure to, or experience of, false alarms, such as to preclude compliance with Section 3;
 - (9) changes in the use, layout and construction of the protected premises that may impact on the effectiveness of the system.
- (c) If no log book suitable for enabling compliance with the recommendations exists, a suitable log book should be provided by the servicing organisation.

2.1.2 Recommendations for arrangements for repair of faults or damage

The following recommendations apply:

- (a) Where maintenance is carried out by a third party, such as a fire alarm maintenance organisation, there should be an agreement for emergency call out to deal with any fault or damage that occurs to the system. The agreement for emergency call out to deal with any fault or damage that occurs to the system. The agreement should be such that, on a 24 hour basis, a technician of the maintenance organisation can normally attend the premises within eight hours of a call from the user.

NOTE: It is accepted that this might not be possible in very remote areas and certain off shore islands, in which case this should be regarded as a variation from the recommendations of this part of BS 5839 in respect of maintenance arrangements. This variation should be recorded in the system log book.

- (b) The name and telephone number of any third party responsible for maintenance of the system should be prominently displayed at the main control and indicating equipment, and the records and documentation as identified should be kept updated.

- (c) The user should record all faults or damage in the system log book, and should arrange for repair to be carried out as soon as possible.

2.2 Modifications to the system

2.2.1 Commentary

Modifications to the system can arise for a number of reasons. Examples include:

- extension of the system to protect areas of the building previously unprotected or newly constructed;
- change of detector type as a result of changes in occupancy or the occurrence of false alarms;
- re-siting of, or increase in the number of, detectors and/or fire alarm devices to take account of changes in the layout of the building;
- reconfiguration of the system (in hardware, software or both) to change the cause and effect logic in order to facilitate filtering of false alarms.

Since modification of a system effectively involves an element of re-design, responsibility for modification of a system needs to rest with a person who has a sufficient degree of design competence.

Even simple modification can give rise to the need for significant re-testing of the system. This is particularly true of software-controlled systems. For example, a software change to facilitate a different cause and effect for a single automatic fire detector can result in the introduction of software errors that affect the operation of entirely non-related parts of the system.

It is possible in some systems, for modification of the system configuration to be carried out remotely, via a modem. Great care needs to be taken, regardless of whether modifications are undertaken on site or remotely, to ensure that;

- the system continues to comply in full with this part of BS 5839, or that existing non-compliances are not made more non-compliant; if new variations are introduced, it needs to be ensured that a new certificate, reflecting the variations, is issued;
- suitable tests are carried out at the protected premises to confirm that, after modification, the system operates as intended and that errors have not resulted in changes to other parts of the system;
- "as fitted" drawings and other records are updated as appropriate;
- details of the modification are documented and provided to the responsible person.

Although the modifications may often be carried out remotely by the maintenance organisation, it will be appropriate for a competent person from the maintenance organisation to visit the premises before the modification is carried out, to confirm the validity of the modification and consider its effect on compliance with this part of BS 5839. It might be necessary to visit the premises to undertake certain tests immediately after the modification has been carried out.

2.2.2 Recommendations applicable to all modification work

The following recommendations apply to all modification work, regardless of whether it is carried out on site or remotely.

- (a) Responsibility for modification of a fire alarm system should rest, ultimately, with a person who is competent in at least the basic principles of fire alarm system design and is conversant with this part of BS 5839.

NOTE: This person may, for example, be the original designer, or may be a competent representative of the user or maintenance organisation.

- (b) Before modifying a fire alarm system, care should be taken to ensure that the proposed modifications do not detrimentally affect the compliance of the system with fire safety legislation; where doubt exists, there should be consultation with the relevant enforcement authority.
- (c) The responsible person should be aware of, and agree, in writing, any modifications proposed for the system. Where appropriate, modifications should also be subject to the agreement of the enforcing authorities and/or insurers.
- (d) All components, circuits, system operations and site-specific software functions known to be affected by the modifications should be tested for correct operation following the modifications.
- (e) In addition to the tests recommended the following tests should be carried out to ensure that there is no adverse effect on the overall system:
 - (1) if one or more devices have been added to or removed from a circuit, at least one other device on the same circuit should be tested;
 - (2) if the control equipment has been modified, at least one device on every circuit should be tested;
 - (3) if any additional load has been placed on the system, tests should be carried out to prove that the rating of the power supply unit and the capacity of the standby batteries remain adequate;
 - (4) if software has been modified, further random testing of other parts of the system should be carried out to ensure that seemingly unrelated parts of the system have not been adversely affected.

NOTE 2: The nature and extent of these test cannot be specified in this standard; this will depend on the nature and extent of the software changes and should be defined by the organisation responsible for the software changes.

- (f) On completion of the modifications, all "as fitted" drawings and other relevant system records should be updated as appropriate and made available with the system documentation.
- (g) On commissioning of the work and completion of the tests, a modification certificate should be issued, confirming that the work has been carried out in accordance with the recommendations of this part of BS 5839, or identifying any variations. A model modification certificate is set out in Annex G. Where responsibility for the compliance, or otherwise, of the modified system with the recommendations of Section 2 of this standard rests with any person other than the organisation carrying out the modification. That person should

sign the appropriate section of the modification certificate and ensure it is made available with the system documentation.

2.2.3 Recommendations applicable to modifications carried out remotely

In addition to the recommendations the following recommendations apply.

- (a) Any person carrying out modifications remotely should have access to current "as fitted" drawings of the system and to the current system configuration, indicating full details of cause and effect logic, available with the system documentation.
- (b) Any person carrying out modifications remotely should be conversant with this part of BS 5839.

2.2.4 Recommendations for action to address an unacceptable rate of false alarms

The following recommendations apply.

- (a) Any investigation into an unacceptable rate of false alarms, and any subsequent modifications to the system, should take into account the guidance contained in Section 3 of this standard. Where causes of false alarms cannot be determined, each of the recognised causes discussed should be formally considered.
- (b) Following such modifications, the system should either continue to comply with this part of BS 5839, or should not be more non-complaint than prior to the modifications unless agreed with all interested parties.
- (c) Any relevant documentation should be made available with the system documentation.

2.2.5 Recommendations for inspection and test of the system following any fire

The following recommendations should be carried out as soon as possible after any fire.

- (a) Every manual call point, automatic fire detector and fire alarm device that might have been affected by the fire should be inspected and tested in accordance with 1.2.4.
- (b) A visual examination and suitable tests should be carried out on any other part of the system that lies within the fire area and other areas affected by corrosive smoke from the fire and that might have been damaged by the fire (e.g. power supplies, control equipment and cable). Where there is evidence of damage, suitable action should be taken.
- (c) Circuits external to the control and indicating equipment that could have been affected by the fire should be tested for correct operation.
- (d) On completion of the work, any defects found should be recorded in the system log book, and the responsible person appointed by the user should be notified accordingly.



2.2.6 Recommendation for inspection and test of the system following long periods of disconnection

The recommendations for inspection and test of the system over a 12 month period (see 1.2.4) should be undertaken.

Annex 3 – Conditions attached after a hearing by the licensing authority

Annex 4 – Plans

RESUME SERVICES W/O. & 2023 20.4
 SCALE 1:100
 GROUND FLOOR



INDICATIVE PLAN
 SCALE 1:250



1. All existing buildings are shown in solid black lines.
 2. The plan shows the layout of the site and the location of the building.
 3. The plan shows the location of the building in relation to the surrounding streets and public spaces.

NO.	DESCRIPTION	DATE	BY
1	PRELIMINARY PLAN	2023	ARCHITECT
2	REVISED PLAN	2023	ARCHITECT
3	FINAL PLAN	2023	ARCHITECT

SCALE 1:100
 GROUND FLOOR

- LEGEND
- ▭ EXISTING BUILDING
 - ▭ WINDOW
 - ▭ DOOR
 - ▭ TOILET
 - ▭ URINAL
 - ▭ VESTIBULE
 - ▭ HALL
 - ▭ FINISH FLOOR
 - ▭ FINISH CEILING
 - ▭ FINISH WALL
 - ▭ FINISH FLOOR
 - ▭ FINISH WALL
 - ▭ FINISH FLOOR
 - ▭ FINISH WALL
 - ▭ FINISH FLOOR
 - ▭ FINISH WALL

Temporary Event Notice

Information on the Licensing Act 2003 is available on the website of the Department for Culture, Media and Sport (http://www.culture.gov.uk/alcohol_and_entertainment/default.htm) or from your local licensing authority.

Before completing this notice please read the guidance notes at the end of the notice. If you are completing this notice by hand please write legibly in block capitals. In all cases ensure that your answers are inside the boxes and written or typed in black ink. Use additional sheets if necessary.

You should keep a copy of the completed notice for your records. You must send two copies of this notice to the licensing authority and an additional copy must be sent to the chief officer of police for the area in which the premises are situated. The licensing authority will endorse one of the two copies and return it to you as an acknowledgement of receipt.

I, the proposed premises user, hereby give notice under section 100 of the Licensing Act 2003 of my proposal to carry on a temporary activity at the premises described below.

1. The personal details of premises user (Please read note 1)			
1. Your name			
Title	Mr <input checked="" type="checkbox"/> Mrs <input type="checkbox"/> Miss <input type="checkbox"/> Ms <input type="checkbox"/> Other (please state)		
Surname	WALL		
Forenames	SAM		
2. Previous names (Please enter details of any previous names or maiden names, if applicable. Please continue on a separate sheet if necessary)			
Title	Mr <input type="checkbox"/> Mrs <input type="checkbox"/> Miss <input type="checkbox"/> Ms <input type="checkbox"/> Other (please state)		
Surname			
Forenames			
3. Your date of birth		Day 06	Month 11
		Year 80	
4. Your place of birth		Derby	
5. National Insurance Number		JN 427435D	
6. Your current address (We will use this address to correspond with you unless you complete the separate correspondence box below)			
The Lamb Inn 56 market st Ashby			
Post town Ashby		Post code LE65 1AN	
7. Other contact details			
Telephone numbers Daytime		0797 0 919 075	
Evening (optional)			
Mobile (optional)			
Fax number (optional)			
E-Mail Address (optional)			
8. Alternative address for correspondence (If you complete the details below, we			

will use this address to correspond with you)	
Post town	Post code
9. Alternative contact details (if applicable)	
Telephone numbers: Daytime	
Evening (optional)	
Mobile (optional)	
Fax number (optional)	
E-Mail Address (optional)	

2. The premises
Please give the address of the premises where you intend to carry on the licensable activities or if it has no address give a detailed description (including the Ordnance Survey references) (Please read note 2)
If you intend to use only part of the premises at this address or intend to restrict the area to which this notice applies, please give a description and details below. (Please read note 3)
Please describe the nature of the premises below. (Please read note 4)
public house
Please describe the nature of the event below. (Please read note 5)
xmas shows

3. The licensable activities	
Please state the licensable activities that you intend to carry on at the premises (please mark an "X" next to the licensable activities you intend to carry on). (Please read note 6)	
The sale by retail of alcohol	<input checked="" type="checkbox"/>
The supply of alcohol by or on behalf of a club to, or to the order of, a member of the club	<input type="checkbox"/>
The provision of regulated entertainment	<input checked="" type="checkbox"/>
The provision of late night refreshment	<input checked="" type="checkbox"/>
Please state the dates on which you intend to use these premises for licensable activities. (Please read note 7)	
MON - 17 th - DEC TUE - 18 th - " WED - 19 th - "	
Please state the times during the event period that you propose to carry on licensable activities (please give times in 24 hour clock). (Please read note 8)	
MON 17 th - DEC - 23.00 - 00.00 TUE 18 th - DEC - 23.00 - 00.00 WED 19 th - DEC - 23.00 - 00.00	
Please state the maximum number of people at any one time that you intend to allow to be present at the premises during the times when you intend to carry on licensable activities, including any staff, organisers or performers. (Please read note 9)	350
If the licensable activities will include the supply of alcohol, please state whether the supplies will be for consumption on or off the premises, or both (please mark an "X" next to the appropriate box). (Please read note 10)	On the premises only <input type="checkbox"/>
	Off the premises only <input type="checkbox"/>
	Both <input checked="" type="checkbox"/>

4. Personal licence holders (Please read note 11)		
Do you currently hold a valid personal licence? (Please mark an "X" in the box that applies to you)	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
If "Yes" please provide the details of your personal licence below.		
Issuing licensing authority	NWJ 10176	


Licence number	NWL 10176
Date of issue	
Date of expiry	2015
Any further relevant details	

5. Previous temporary event notices you have given. (Please read note 12)		
Have you previously given a temporary event notice in respect of any premises for events falling in the same calendar year as the event for which you are now giving this temporary event notice? (Please mark an "X" in the box that applies to you)	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
If answering yes, please state the number of temporary event notices you have given for events in that same calendar year		
Have you already given a temporary event notice for the same premises in which the event period: a) ends 24 hours or less before; or b) begins 24 hours or less after the event period proposed in this notice? (Please mark an "X" in the box that applies to you)	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>


6. Associates and business colleagues (Please read note 13)		
Has any associate of yours given a temporary event notice for an event in the same calendar year as the event for which you are now giving a temporary event notice? (Please mark an "X" in the box that applies to you)	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
If answering yes, please state the total number of temporary event notices your associate(s) have given for events in the same calendar year		
Has any associate of yours already given a temporary event notice for the same premises in which the event period: a) ends 24 hours or less before; or b) begins 24 hours or less after the event period proposed in this notice? (Please mark an "X" in the box that applies to you)	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Has any person with whom you are in business carrying on licensable activities given a temporary event notice for an event in the same calendar year as the event for which you are now giving a temporary event notice? (Please mark an "X" in the box that applies to you)	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
If answering yes, please state the total number of temporary event notices your business colleague(s) have given for events in the same calendar year.		
Has any person with whom you are in business carrying on licensable activities already given a temporary event notice for the same premises in which the event period: a) ends 24 hours or less before; or b) begins 24 hours or less after the event period proposed in this notice? (Please mark an "X" in the box that applies to you)	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>


7. Checklist (Please read note 14)	
I shall (Please mark the appropriate boxes with an "X")	
Send two copies of this notice to the licensing authority for the area in which the premises are located	<input checked="" type="checkbox"/>
Send a copy of this notice to the chief officer of police for the area in which the premises are located	<input checked="" type="checkbox"/>
If the premises are situated in one or more licensing authority areas, send two copies of this notice to each additional licensing authority	<input checked="" type="checkbox"/>
If the premises are situated in one or more police areas, send a copy of this notice to each additional chief officer of police	<input checked="" type="checkbox"/>
Make or enclose payment of the fee for the application	<input checked="" type="checkbox"/>
Sign the declaration in Section 9 below	<input checked="" type="checkbox"/>

8. Condition (Please read note 15)
It is a condition of this temporary event notice that where the relevant licensable activities described in Section 3 above include the supply of alcohol that all such supplies are made by or under the authority of the premises user.

9. Declarations (Please read note 16)	
The information contained in this form is correct to the best of my knowledge and belief.	
I understand that it is an offence:	
(i) to knowingly or recklessly make a false statement in connection with this temporary event notice and that a person is liable on conviction for such an offence to a fine up to level 5 on the standard scale; and	
(ii) to permit an unauthorised licensable activity to be carried on at any place and that a person is liable on conviction for any such offence to a fine not exceeding £20,000, or to imprisonment for a term not exceeding six months, or to both.	
Signature	
Date	30 th -10-2012
Name of Person signing	Sam Walker

For completion by the Licensing Authority

10. Acknowledgement (Please read note 17)	
I acknowledge receipt of this temporary event notice.	
Signature	 On behalf of the Licensing Authority
Date	6/11/12
Name of Officer signing	Accooper



Date: 14 November 2012
 SLA: Not Set
 Scale: 1:1000

Reproduced from the Ordnance Survey map with the permission of the Controller of Her Majesty's Stationary Office © Crown Copyright 2000.
 Unauthorised reproduction infringes Crown Copyright and may lead to prosecution or civil proceedings.

Leicestershire Police



Licensing Act 2003 – Given pursuant of Section 104
Objection Notice in respect of Temporary Event Notice

Details of person or body making representation	
Your Name:	Inspector 915 Rixon
Your Address:	Licensing Department, Mansfield House, 74 Belgrave Gate, Leicester LE1 3GG

Details of premises representation is about	
Name of Premises:	Lamb Inn
Address of premises:	56 Market Street Ashby De La Zouch Leicester LE65 1AH
Applicant	Sam Wallis
Date of Events	Monday 17 th December - Wednesday 19 th December 2012
Date application received by Police	9 th November 2012

Please tick one or more of the licensing objectives that your representation relates to:

Prevention of crime and disorder	<input checked="" type="checkbox"/>
Public Safety	<input checked="" type="checkbox"/>
Prevention of public nuisance	<input checked="" type="checkbox"/>
Protection of children from harm	<input type="checkbox"/>

Please summarise your concerns about this application:

I write in my capacity as Licensing Officer for the Leicestershire Constabulary on the authority delegated to me by the Chief Constable Simon Colé.

Take notice that I am satisfied that allowing the premises to be used in accordance with the notice would undermine the Prevention of Crime and Disorder, Public Safety and Prevention of Public Nuisance objective.

It is the police view that granting these applications will add to the existing, late night, problems in the Town centre as the proposed late night selling of alcohol will cause revellers to drink more, drink for longer and linger in the area longer than they otherwise would.

The LPU view is that the TENS applications will add to the cumulative impact in a Saturation zone, in relation to crime and Disorder, public safety and public nuisance. Both public houses fit within the NWLDC saturation zone and there is a presumption against extending hours in this zone.

As can be seen from the spreadsheets there a general level of crime and disorder in Market Street which is above acceptable limits and requires a disproportionate policing response currently.

The Lamb PH is a direct contributor to the crime and disorder in Market street and PH generally in Market Street are contributing to disorder.

The effect on the local community of extended hours is to cause a public nuisance beyond hours which they would normally have to endure. This is not acceptable just because of the time of year.

Public safety will be put at risk as persons are encouraged to drink longer and therefore potentially become drunk. There is evidence supplied of the effect of this. People fall over and become injured.

Fights break out and people become injured. I would suggest this is not acceptable at any time, but applications on week days are less acceptable as in the case of the three crowns.

These premises are centrally located in the town at the heart of the area where the night time economy continues to result in a "hot spot" for crime and disorder as described in the attached report from Sergeant 531 Watson.

North West Leicester has adopted a Special Policy in relation to applications for new licences and material variations. The effect of this policy is set out in the Council's own policy document. It creates a rebuttable presumption against the grant of any further licences. Whilst this is not directly relevant it may be something that members may wish to have regard to.

The Lamb PH is within the "saturation zone" identified in the Council's policy.

Inspector 915 Rixon

Date 13th November 2012

Copy to:

Applicant

Mr Sam Wallis
Lamb Inn
56 Market Street
Ashby De La Zouch
Leicester
LE65 1AH

Licensing Department,
North West Leicestershire
District Council
Council Offices
Coalville
LEICS
LE67 3FJ

18/08/2012	02:23	20120824-140722	MARKET ST	6010	Aggressive female making gestures to person/s inside Ciro's
19/08/2012	01:25	20120824-142208	MARKET ST	6010	Drunk female stumbling, tries to kick cone, pushes male
19/08/2012	01:45	20120824-143501	MARKET ST	6010	Monitoring female and male from 20120824-142208

INCIDENTS IN ASHBY WITH NO CCTV FOOTAGE ON DISK. THEY WERE VIEWED AND LOGGED BY THE CCTV OPERATOR ON THE DAY.

03/08/2012	22:48		MARKET ST		CCTV OPERATOR REQUEST FROM THE LAMB TO THE BULL TO REFUSE 2 MALES. 1 MALE ARGUING WITH A FEMALE O/S THE BULL.
04/08/2012	02:31		MARKET ST		CCTV OPERATOR CCTV GO IN TO CIROS AND DETAIN A MALE. ANOTHER MALE ARGUES WITH POLICE NOW A FEMALE HAS BEEN DETAINED.
04/08/2012	02:55		NORTH STREET		CCTV OPERATOR REQUEST FROM THE POLICE TO MONITOR A RED BMW IN NORTH ST CAR PARK BELIEVED TO BE DIC.
05/08/2012	01:13		MARKET ST		CCTV OPERATOR POLICE RUN OVER TO CIROS BRING 2 MALES ON TO MARKET ST BOTH DETAINED.
05/08/2012	02:18		MARKET ST		CCTV OPERATOR 2 MALES ARGUING O/S CIROS POLICE MOVE THEM ON.
05/08/2012	03:05		MARKET ST		CCTV OPERATOR REQUEST FROM POLICE TO MONITOR 3 MALES ON MARKET ST.
10/08/2012	23:56		MARKET ST		CCTV OPERATOR MONITORING VEHICLE PARKED ON THE CROSSING WHILST DRIVER VISITS ASHBY GRILL.
11/08/2012	00:13		MARKET ST		CCTV OPERATOR 2 MALES LEAVING CIROS VERY DRUNK 1 MALE FALLS OVER ON TO HIS FACE IN THE ROAD.
11/08/2012	01:21		MARKET ST		CCTV OPERATOR MONITORING MALE COME OUT OF CIROS ARGUING WITH DOOR STAFF POLICE NOW WITH HIM.
11/08/2012	01:28		MARKET ST		CCTV OPERATOR MONITORING A DRUNK MALE ON MARKET ST, NOW IN THE DOORWAY OF PEACOCKS.
11/08/2012	02:13		MARKET ST		CCTV OPERATOR VERY DRUNK MALE LEAVES CIROS AND NEARLY FALLS UNDER A HGV ON MARKET ST, POLICE WITH HIM.
11/08/2012	03:04		MARKET ST		CCTV OPERATOR MONITORING AN AGGRESSIVE MALE O/S CIROS.
12/08/2012	03:37		MARKET ST		CCTV OPERATOR MONITORING 2 MALES AND 2 FEMALES ON MARKET ST.
18/08/2012	00:56		MARKET ST		CCTV OPERATOR MONITORING 2 FEMALES ARGUING WITH DOOR STAFF FROM THE BULLS HEAD. NOW MOVED ON
18/08/2012	02:24		MARKET ST		CCTV OPERATOR MONITORING A MALE AND FEMALE FROM CIROS ARGUING.
19/08/2012	01:26		MARKET ST		CCTV OPERATOR VERY DRUNK FEMALE O/S CIROS SEEMS TO BE ARGUING WITH A MALE.
31/08/2012	23:38		MARKET ST		CCTV OPERATOR MONITORING 2 MALES ARGUING WITH DOOR STAFF FROM BUNKA CLUB. NOW MOVED ON AND REFUSED ENTRY TO CIROS.
31/08/2012	23:48		MARKET ST		CCTV OPERATOR OBS FOR A MALE RESPONSIBLE FOR AN ASSAULT ON A FEMALE. SUSPECT ON KILWARDY ST.
31/08/2012	00:10		MARKET ST		CCTV OPERATOR REQUEST FROM POLICE FOR OBS ON 2 MALES.
01/09/2012	02:37		MARKET ST		CCTV OPERATOR POLICE GO IN TO CIROS AND REMOVE TWO MALES.
02/09/2012	00:32		MARKET ST		CCTV OPERATOR MONITORING DOOR STAFF AT CIROS WITH A MALE ON THE FLOOR.
02/09/2012	01:38		MARKET ST		CCTV OPERATOR MONITORING A VERY DRUNK MALE ON MARKET ST.

Date	ctcy ref names	Location	QIC chat viewed	Notes
02/06/2012	01:16	MARKET ST	6010	DRUNK MALE BEING AGGRESSIVE O/S ASHBY GRILL.
02/06/2012	01:32	MARKET ST	6010 CD Footage	DRUNKEN MALE BEING AGGRESSIVE O/S CIROS, PUSHING OTHER MALES OFF HIM. POLICE MOVE HIM AWAY.
02/06/2012	02:07	MARKET ST	6010	SAME MALE AS ABOVE PUNCHES A MALE IN THE FACE ON MARKET ST. CAME FROM CIROS
02/06/2012	02:19	MARKET ST	6010	2 MALES FROM FIRST INCIDENT AT 01:42 ARE TOLD TO LEAVE TOWN BY POLICE.
16/06/2012	03:22	MARKET ST	6010	MALES TALKING WITH DOOR STAFF AT CIROS AGGRESSIVE BODY LANGUAGE
17/06/2012	01:40	MARKET ST	6010 CD Footage	LARGE GROUP LEAVE CIROS FIGHT OCCURS 1 DETAINED BY POLICE.
24/06/2012	00:18	MARKET ST	6010 CD Footage	3 MALES PLAY FIGHTING IN THE STREET NR CIROS.
24/06/2012	01:54	MARKET ST	6010	OFFICERS FOLLOWING GROUP RE A POSSIBLE FIGHT
24/06/2012	02:05	MARKET ST	6010	MALE URINATING O/S COSTA COFFEE DOORWAY
24/06/2012	02:39	MARKET ST	6010	2 DRUNK MALES ON MARKET STREET 1 HAS JEANS AROUND HIS ANKLES AND EXPOSES HIMSELF
30/06/2012	01:09	MARKET ST	6010	DRUNK FEMALE O/S THE LAMB
30/06/2012	02:03	MARKET ST	6010	AGGRESSIVE MALE WITH DOORSTAFF AT CIROS BEING EJECTED
06/07/2012	23:36	MARKET ST	6010	3 MALES ARGUING WITH DOOR STAFF AT CIROS 1 MALE MORE AGGRESSIVE THAN OTHERS.
06/07/2012	23:42	MARKET ST	6010	FIGHT WITH DOOR STAFF AT THE BULLS HEAD
07/07/2012	00:50	MARKET ST	6010	AGGRESSIVE MALE O/S CIROS FOLLOWED BY LARGE GROUP.
07/07/2012	03:04	MARKET ST	6010 cd footage	MALE ON FLOOR O/S CIROS LARGE GROUP AROUND, ANOTHER MALE AGAINST THE WALL
14/07/2012	01:18	MARKET ST	6010 cd footage	MALE ARGUING WITH DOOR STAFF AT CIROS.
14/07/2012	01:56	MARKET ST	6010 cd footage	ALTERCATION BETWEEN 2 GROUPS O.S ASHBY GRILL
14/07/2012	02:19	MARKET ST	6010 cd footage	DRUNK MALE FROM CIROS BEING AGGRESSIVE, DETAINED BY POLICE
14/07/2012	02:59	MARKET ST	6010	DRUNK FEMALE FROM CIROS FALLS OVER CAS NEEDED
15/07/2012	01:16	MARKET ST	6010 cd footage	MALE BLEEDING FROM THE FACE ARGUING WITH DOOR STAFF O/S CIROS.
15/07/2012	01:58	MARKET ST	6010	MALE SLUMPED AGAINST WALL O/S CIROS ALSO A GROUP IS ARGUING
15/07/2012	03:10	MARKET ST	6010 cd footage	2 MALES SEPERATED O/S SUBWAY
15/07/2012	03:14	MARKET ST	6010	SAME 2 MALES O/S SUBWAY BEING SEPERATED, POLICE ATTEND.
15/07/2012	03:46	MARKET ST	6010 cd footage	3 MALES PULL TROUSERS DOWN AND EXPOSE THEMSELVES.
21/07/2012	01:03	MARKET ST	6010	DRUNKEN MALE ON THE FLOOR O/S THE LAMB
21/07/2012	01:16	MARKET ST	6010	DRUNK MALE TRYING TO ENTER CIROS
21/07/2012	01:50	MARKET ST	6010	DRUNK MALES IN MILL LANE MEWS OFF MARKET ST
21/07/2012	01:52	MARKET ST	6010	DRUNK FEMALE LEAVES CIROS AND FALLS OVER O/S THE BULL.
21/07/2012	03:47	MARKET ST	6010	MALE AND 2 FEMALES O/S SUBWAY MALES HANDS COVERED IN BLOOD.
27/07/2012	23:50	MARKET ST	6010	AGGRESSIVE FEMALE O/S THE LAMB
28/07/2012	03:35	MARKET ST	6010	DRUNKEN MALE URINATING IN MILL LANE MEWS OFF MARKET ST
29/07/2012	00:46	MARKET ST	6010	DRUNKEN MALE ON THE FLOOR IN THE ROAD O/S CHIP SHOP
29/07/2012	00:56	SOUTH ST	6010	MALE WITH HEAD INJURIES REAR OF BUNKA CLUB
29/07/2012	02:53	MARKET ST	6010	AGGRESSIVE GROUP ON MARKET ST.
03/08/2012	20120824-112727	MARKET ST	6010	NOT CIROS
04/08/2012	20120824-114131	MARKET ST	6010	NOT CIROS
04/08/2012	20120824-115433	MARKET ST	6010	Officers enter Ciro's, remove one male, one female, large crowd forms outside Ciro's
04/08/2012	20120824-115941	MARKET ST	6010	NOT CIROS
04/08/2012	20120824-120223	MARKET ST	6010	NOT CIROS
05/08/2012	20120824-120824	MARKET ST	6010	Officers enter Ciro's, remove 2 males, male then resisting with officers
05/08/2012	20120824-121518	MARKET ST	6010	2 males arguing outside Ciro's, bouncer standing between them, officers then assist
05/08/2012	20120824-122219	MARKET ST	6010	NOT CIROS
10/08/2012	20120824-123021	MARKET ST	6010	NOT CIROS
11/08/2012	00:12	MARKET ST	6010	(ch01) intoxicated male falls on face in road (ch03) male can be seen bleeding from face
11/08/2012	01:21	MARKET ST	6010	Male ejected from Ciro's, argues with door staff, police assist
11/08/2012	02:12	MARKET ST	6010	NOT CIROS
11/08/2012	03:04:04	MARKET ST	6010	Drunk male falls in road, nearly under HGV
12/08/2012	20120824-134456	MARKET ST	6010	Aggressive male outside Ciro's, pushes another male into building
12/08/2012	20120824-135338	MARKET ST	6010	NOT CIROS
18/08/2012	20120824-135900	MARKET ST	6010	NOT CIROS

Date	Times	Crime/inc	Location	Incidents Market st nature inc	Notes
13/02/2012	14:00hrs	LN760/12-9	CIROs	Burglary	male gets into premises whilst open
04/03/2012	00:28hrs	LN/136/12-9	CIROs	Domestic violence	couple ejected together-male partner takes handbag
03/03/2012	00:30hrs	LN/132/12-7	Continental	Harrasment	agrieved works cont-prev charged with assault
17/03/2012		Inc 60 17th	CIROs	Assault	
18/03/2012	01:35hrs	LN/1395/12-4	CIROs	Assault	01.35 hrs
01/04/2012	03:00hrs	LN/1612/12-4	Lamb	Assault	02.30-03.00 assaulted in toilets
09/04/2012	03:00hrs	LN/1778/12-3	CIROs	Section 5/obst PC	Leaving club at 03.00-Abusive to public and police
14/04/2012	01:57hrs	LN/1896/12-2	CIROs	Poss cocaine	Ciro's nite club perp being led out by door staff to the pavement.
28/04/2012	02:00hrs	LN/2162/12-5	CIROs	Assault	JP was aggressor-Fight in club
28/04/2012	02:55hrs	LN/2160/12-9	Market st	Public order	2 fighting-1 charged s5 Public order 02.55 am
28/04/2012	01:00hrs	LN/2494/12-4	Market St	ABH	Assault in street 01.00
07/05/2012	02:30hrs	LN/2334/12-3	CIROs	GBH	Male unconscious-broken Jaw
13/05/2012	02:20hrs	LN/2444/12-4	CIROs	GBH	As leaving club at 02.15hrs attacked. Front tooth out
20/05/2012	01:30hrs	LN/2565/12-2	Market st	Crim/Damage	Taxi attacked by 3 youths 01.30hrs
01/06/2012	21:25hrs	LN2831/12-9	Lamb	Assault	1 male given s5 F/Per
24/06/2012	01:45hrs	LN/3445/12-3	CIROs	Assault	Doorstaff altercation-Door staff used self defence
30/06/2012	03:30hrs	LN/3547/12-6	Market st	Sect 5 public order	Assault in club made off and arrested 01.45
07/07/2012	02:00hrs	LN/3650/12-6	Market st	Racially agg assault	03.30 o/size lamb and ashby grill
07/07/2012	23:59hrs	LN/3689/12-5	CIROs	Assault	To taxi driver 02.00
08/07/2012	01:20hrs	LN/3674/12-6	CIROs	Drugs	
15/07/2012	02:23hrs	LN3802/12-6	CIROs	Assault	CIS: Male arrested for possession.
20/07/2012	23:23hrs	Inc 906 20/7/12	Bulls Head	Fight	02.23 hrs male assaulted in club. Broken Jaw - Offender sentenced to 14 months HM/P
21/07/2012	00:30hrs	Inc23 21/7/12	Union Passage	Noise from PHS	Fight takes place in premises between 2 drunken females
20/07/2012	00:00hrs	Inc 199/21/7/12	Bulls Head	Assault	Noise late night economy-under investigation PC:1667.
22/07/2012	02:04hrs	Inc 80 22/7/12	Market st	Fight	Victim punched in the face whilst in the premises.
28/07/2012	23:30hrs	LN/4057/12-1	CIROs	Assault	Report of fight. On arrival of officers, all persons run off. No complaints.
17/08/2012	01:00hrs	LN4351/12-4	Mill lane Mews	ctim Damage	Report made of assault inside premises on victim by his ex-girlfriend's sister.
18/08/2012	03:02hrs	Inc120 18/8/12	Market st	Fight	Stone to window of Restaurant-smashing glass-grade 2 listed building
25/08/2012	02:45hrs	LN4496/12-2	CIROs	Assault	Report made by passer by that 2 males are fighting outside Co-Op.
31/08/2012	02:37:hrs	LN/4617/12-7	The Lamb	Assault	Assault takes place inside the premises. 2 males arrested. Male charged to Hinckley Mags Comm Assault 11/9/12
					Male inside the premises when he is hit over the head with a bottle.

31/08/2012	03:24hrs	LN/4612/12-2	Burton rd	Damage-arson	Damage by fire- on route from town
15/09/2012	00:45	LN/4862/12-6	Market Street	Assault	Victim punched by two males whilst on the street. Minor head injury sustained.
29/09/2012	02:20	LN/5078/12-8	Market Street	Assault	After verbal altercation between two groups of males, victim punched in the face. Redness sustained.
30/09/2012	02:19	Inc 179 30/9/12	CIROs	Male collapsed	18 year old male found collapsed, believed drink spiked.
23/09.2012		Inc/5010/12-0	market st	Robbery	aggrieved from CIROS
07/10/2012		Inc 54	Bakery court	Drunk/drugged	To hospital
07/10/2012	01:00hrs	Inc 49	Bunka		Glassing-LN/05236/12-0 REFERS -in club-3, males no shirts allowed In!!!!!!
07/10/2012		Inc 52			UPON TAKING STATEMENT FROM HUSSAIN THIS APPEARS TO BE A RACIALLY
					AGGRAVATED ROBBERY OCCURRING ON MARKET STREET, ASHBY.
06/10/2012	01:00hrs	LN5338/12-3	CIROs	Theft from handbag	From staff
21/10/2012	00:30	LN/5470/12-2	CIROs	Assault ABH	Glassing. Male hit with bottle inside premises. 2 males arrested and currently in custody
20/10/2012	23:40	Inc 885 20/10/12	Market Street	Male collapsed	19 year old male found collapsed and intoxicated in the street.
27/10/2012	02:40	LN/5555/12-6	Market Street	Fight	Fight involving two males. Both arrested and in custody
27/10/2012	02:45	LN/5611/12-5	Bunka	s4 Public order	Abusive towards Police
27/10/2012	02:40	LN/5612/12-8	o/side Bunka	s4 Public order	Abusive towards Police
02/11/2012	00:30-07:00	LN5651/12-1	South st	C/Damage to M/Vehicle	Smashed window to car overnight.
03/11/2012	01:10hrs	LN/5673/12-5	CIROs	Assault ABH	Male hit over the head with a bottle whilst inside the premises
03/11/2012	02:20	LN/5677/12-7	Market Street	Affray	Fight takes place between two groups of males. 2 males arrested.
03/11/2012	02:54	Incident 114 3/11/12	Brook Street	Assault	Fight takes place and male knocked unconscious.

MARKET ST INCIDENTS - JUNE 2012

Date	Time	TEN	CCTV	C & C	CIS	Innweb	Location	Comments	URN
01/06/12	19:55		16/4				Ashby Grill	NB- cctv page number carried forward from May in error.	2012
			@					Report of "the same" male back in Ashby Grill request to monitor	141
01/06/12	21:20		16/17				Lamb	Male outside the Lamb is pushed by one of the door staff request from police to burn footage	2012
			@						142
01/06/12	21:55			888	LN/02831/12-9		Lamb	Assault just taken place outside the Lamb on Market Street. Bouncer has assaulted male.	2012
				@				Door man of The Lamb asks to speak to the victim outside of the pub and without warning pushes the victim down to the ground causing him to hit his head. No injuries. Crime deleted as no offence.	143
02/06/12	20:00			314	LN/2917/12-6		Subway, Market Street	Windows to premises smashed between 02/06/12 to 03/06/12	2012
				@				Window smashed to premises by unknown persons. No entry gained	144
02/06/12	01:32		1/16			17709 17751	Ciros Market Street	Monitoring an aggressive male on Market Street. Police with him	2012
			@					2 groups of males squaring up to each	145

MARKET ST INCIDENTS - JUNE 2012

Date	Time	TEN	CCTV	C & C	CIS	Innweb	Location	Comments	URN
02/06/12	02:01		2/1 @			17710 17752	Ciros	Monitoring police with an aggressive male on Market Street.	2012 146
								Group of youths squaring up to each other after being ejected from night club. All of the males were dispersed after being aggressive with each other.	
								Known male remonstrating with door staff at Ciros after being ejected for being too drunk. Described as being a pain to police.	
								Known male remonstrating with the door staff at Ciros after being ejected for being too drunk. Then becomes a nuisance to Police Officers outside.	
02/06/12	02:06		2/3 @				Market Street	Monitoring a male on Market Street punch other male. Police with him	2012 147
02/06/12	02:18		2/5 @				Ashby	Request to monitor 2 males have been given 10 mins to leave Ashby.	2012 148
03/06/12	01:16		3/11				Burger	Monitoring 2 drunk males at the burger	2012

MARKET ST INCIDENTS - JUNE 2012

Date	Time	TEN	CCTV	C & C	CIS	Innweb	Location	Comments	URN
			@				Van	van outside the Blink club	149
03/06/12	02:24		3/13 @				Market Street	Monitoring police stop a BMW just come out of North Street, Now stopped on Market Street	2012 150
08/06/12	22:14		4/2 @				The Lamb	Monitoring 2 males, 2 females just refused at the Lamb no ID	2012 151
08/06/12	22:55		4/4 @				The Lamb	Request to monitor 3 females the older one very aggressive towards door staff, refused, now gone into the White Hart.	2012 152
08/06/12	23:21		4/11 @				Bulls Head	Inform Ciro's male has been refused. Monitoring	2012 153
09/06/12	00:30		4/19				CIRO'S	Monitoring a very drunk male on Market Street, now let into Ciro's	2012 154
10/06/12	00:54		5/4 @				Ciro's	Monitoring door staff with male, now some shouting, possible fight no radio contact	2012 155
10/06/12	02:21		5/13 @				Market Street	Monitoring a very drunk male with others not able to stand	2012 156
10/06/12	03:00		5/18 @				Market Street	Monitoring a drunk & aggressive male being pulled away from a fight on Market Street.	2012 157
15/06/12	23:43		6/7 @				Market Street	Male in the road moved on by police.	2012 158

MARKET ST INCIDENTS - JUNE 2012

Date	Time	TEN	CCTV	C & C	CIS	Innweb	Location	Comments	URN
15/06/12	23:49		@				Ciros	Monitoring female with door staff	2012 159
16/06/12	01:16		@				Ashby Grill	Monitored aggressive male outside the Grill	2012 160
16/06/12	03:22		@				Ciros	Monitoring door staff with a group	2012 161
16/06/12	21:29		@				Bulls Head	Info received of a Peugeot car, driver possibly under influence of alcohol. Nothing seen	2012 162
17/06/12	00:15		@				Ciros, Ashby	Monitored male outside Ciros	2012 163
17/06/12	01:41		@				Ciros Ashby	Monitored a large group with officers	2012 164
								2 large groups causing issues. Have arrested one at the moment. No further action.	
23/06/12	00:52		@				Ciros	Monitoring a very drunk male come from Ciros now up Market St	2012 165
23/06/12	02:37		@				Market Street	Monitoring male on his phone standing in Road L/C repeatedly being told to stand on pavement	2012 166
23/06/12	20:39		@				Market Street	Monitoring top of Market Street 9 cars parked top of Market St on pavement + double yellow	2012 167

MARKET ST INCIDENTS - JUNE 2012

Date	Time	TEN	CCTV	C & C	CIS	Innweb	Location	Comments	URN
24/06/12	00:18		12/18 @				Market Street	Monitoring a group of males all drunk on Market Street, now on the Mews	2012 168
24/06/12	01:41		13/3 @		LN/3445/12-3	17929	Ciros	Police report that an assault has taken place in club no contact from door staff. Suspect has left now, been arrested on Kilwary St. Victim is assaulted by an unknown male in an unprovoked attack in a nightclub. He is punched to the face causing a laceration to the eye socket and bruising to the eye Whilst inside the premises, victim punched by offender. Facial injury sustained which requires hospital treatment. Offender arrested and currently on bail.	2012 169
24/06/12	01:54		13/7 @				Market Street	Monitoring police with a group of males possible fight?	2012 170
24/06/12	02:03		13/9 @				Market Street	Request from PC to monitor 2 males on Market St, one of the males now urinated in doorway. Now in Doorway S/Drug	2012 171
24/06/12	02:34		13/16 @	75 24/06/12			Market Street	Male outside Subway broken ribs CAS now UA	2012 172

MARKET ST INCIDENTS – JUNE 2012

Date	Time	TEN	CCTV	C & C	CIS	Innweb	Location	Comments	URN
24/06/12	02:39							Call from Ambulance reporting attending a male who has been assaulted. Possible broken ribs. Outside Subway	
30/06/12	01:11		14/1 @				Ciros	Monitoring male come out of Ciros with his trousers and pants round his ankles	2012 173
30/06/12	01:11		15/9 @				Market Street	Monitored arguing male and female	2012 174
30/06/12	01:53		15/12				Ciros Ashby	Female collapsed inside. Ambulance on route	2012 175
30/06/12	02:03		15/13 @				Ciros Ashby	Monitored males with door staff	2012 176
30/06/12	03:30				LN/3547/12-6	17988	Ciros	Male is aggressive and verbally abusive to police Males who had been drinking in the premises (CIROs), involved in a scuffle further down Market Street. One of the males then becomes abusive to Police officers and is arrested under Section 5 Public Order Act. Male dealt with by way of FPN.	2012 177

MARKET ST INCIDENTS – July 2012

Date	Time	TEN	CCTV	C & C	CIS	Innweb	Location	Comments	URN
Date	Incident Time	TEN Y/N	CCTV	Command & Control	CIS	Innweb	Location	Comments	URN
01/07/12	00:34		16/9				Market St	Monitored 2 x males being aggressive	2012 178
01/07/12	03:33		@ 19/19				Market St	Monitored 2 x males with a female. Sus.	2012 179
06/07/12	23:36		1/16 @				Ciros	Monitoring 2 males arguing with door staff at Ciros now 3 males	2012 180
06/07/12	23:42		1/17 @				Bulls Head Ciros	Monitoring males fighting with the door staff from The Bulls Head and Ciros. No radio contact from either location	2012 181
07/07/12	00:48		2/3 @				Ciros	Monitoring Ciros door staff run into the pub-club after a few minutes bring out a group of males (travellers)	2012 182
07/07/12	02:00				LN/3650/12-6 @		Market Street	Suspects get into taxi drivers car and are refused a taxi ride as they have no money for the fare. Two males become abusive calling the driver a "Paki" several times. One male strikes the driver on the back of the head. No injuries caused.	2012 183
07/07/12	03:05		3/8 @				Ciros	Monitoring what looks like a drunk male on the floor	2012 184
07/07/12	03:15		3/11				Market	Monitoring male standing to a	2012

MARKET ST INCIDENTS – July 2012

Date	Time	TEN	CCTV	C & C	CIS	Innweb	Location	Comments	URN
07/07/12	22:30		@	403 09/07/12 @	LN/03693/12-1		Street	unattended police car. Police have now noticed him and moved him on	185
							The Lamb	Theft of mobile phone sometime Saturday night.	2012
07/07/12	23:48			947 07/07/12 @			Bunka Ashby	Mobile phone stolen from top of bar whilst victim being served	186
								Anonymous caller reporting bouncer at Bunka club selling drugs	2012
08/07/12	01:19			59 08/07/12 @	LN/03689/12-5	18029	Ciros	Male known to caller has thrown drink over her and threatened to come after her when she left the club.	2012
								Victim has drink thrown over her neck and body by ex partner	188
								Victim has drink thrown over her whilst in the premises by ex-partner.	
08/07/12	01:20				LN/3674/12-6 @	18011	Ciros	Suspect is in cubicle. Door staff witness him with a lump of white substance in his hand.	2012
								Male found by doorstaff in the toilets of the premises in possession of white substance. Arrested and currently on bail.	189
14/07/12	01:18		4/17				Ciros	Monitoring a drunk male arguing with	2012

MARKET ST INCIDENTS – July 2012

Date	Time	TEN	CCTV	C & C	CIS	Innweb	Location	Comments	URN
14/07/12	01:56		@				Ciros	the door staff at Ciros	190
			4/19 @					Monitoring group outside Ciros arguing with police. Male detained	2012 191
14/07/12	02:04		5/1 @				Ciros	Monitoring police bring out from Ciros another male detained	2012 192
14/07/12	02:07		5/3 @				Ashby Grill,	Group of males arguing. Police U A and request me to monitor them	2012 193
14/07/12	02:19		5/6 @				Ciros	Group of males outside Ciros door. staff with them now one male detained by police.	2012 194
14/07/12	02:48		5/12 @				Market Street	Call from police request to monitor a drunk male on Market Street	2012 195
14/07/12	02:56		5/14 @				Ciros	3 Females come from Ciros one very drunk now fell over in door way	2012 196
14/07/12	03:09		5/17 @				Market Street.	Request from police to monitor a drunk male in boxer shorts.. Police now taken him home at 03:20	2012 197
15/07/12	01:16		6/15 @				Ciros	Monitoring with blood on his face & hands, arguing with staff.	2012 198
15/07/12	01:45				LN/4069/12-1 @		Market Street	Male witnessed urinating up against wall of Lloyds TSB cash point in view of passing members of the public.	2012 199

MARKET ST INCIDENTS – July 2012

Date	Time	TEN	CCTV	C & C	CIS	Innweb	Location	Comments	URN
15/07/12	01:58		6/19 @	680 15/07/12 13 31/07/12?	LN/03802/12-6	18038	Ciros	Male outside Ciros arguing with door staff. Request to speak with officers who transported stepson home. Son is in hospital and it has been confirmed he has a broken jaw. Intoxicated male has altercation with male whilst in nightclub. Whilst this is taking place another male punches victim in the head causing him to fall to the floor. INTOXICATED AGGRIEVED HAS VERBAL ALTERCATION WITH MALE IN NIGHTCLUB WHILST THIS IS TAKING PLACE ANOTHER MALE PUNCHES THE AGGRIEVED IN THE HEAD CAUSING HIM TO FALL TO THE FLOOR AGGRIEVED REPORTEDLY SUSTAINS FRACTURED JAW IN TWO PLACES AS A RESULT	2012 200
15/07/12	02:19		7/1 @				Ciros	Call from police to request monitor a male outside Ciros	2012 201
15/07/12	02:34		7/3				Ciros	Male with police has been given	2012

MARKET ST INCIDENTS – July 2012

Date Time TEN CCTV C & C CIS Innweb Location Comments URN

				@					dispersal notice.	202
15/07/12	03:10			7/9 @				Ciros	Group of males arguing, possible fight. Police U A and all split up	2012
15/07/12	03:47			7/13 @				Ciros	3 males outside Ciros all drop their trousers and pants revealing all.	203
20/07/12	23:25				906 20/07/12 @		18087	Bulls Head	Callers girlfriend assaulted by callers ex whilst in a pub on the dance floor. Not as reported. A couple of females arguing over ex boyfriend. Report of two females fighting on the dance floor of premises, regarding another an ex-boyfriend. No complaints.	2012 205
20/07/12	00:00				199 21/07/12 @		18088	Bulls Head	Victim went to Bulls Head last night and was assaulted by another female. Victim states she was in the BULLS HEAD PUB in Ashby when a female she has known for years walks straight up to her and without any provocation grabs hold of the victim via her coat collar ,pulls her forward and says "I DONT FUCKING LIKE YOU " she then punches the victim once in the face	2012 206

MARKET ST INCIDENTS – July 2012

Date Time TEN CCTV C & C CIS Innweb Location Comments URN

21/07/12	00:14		8/5 @				Market Street	Victim punched in the face by female known to her whilst in the premises. Appointment made with Diary Car to visit the victim.	2012 207
21/07/12	01:04		8/15 @				The Lamb	4 males, 2 of them drunk and arguing. Other male managed to pull them apart. Monitoring	2012 208
21/07/12	01:16		8/18 @				Ciros	Police with male on the floor drunk, not able to walk. Police put him in taxi.	2012 209
21/07/12	00:31			23 21/07/12 @			Union Passage Ashby	Drunk male just come from Ciros. Police with him	2012 210
21/07/12	01:43		8/20 @				South Street	Rowdy youths in the street	2012 211
21/07/12	01:50		9/3 @				North Street	2 males seen get into car. Both seem to be drunk	2012 212
21/07/12	01:52		9/5 @	75 21/07/12	18104		Market Street	Request to monitor male on North Street	2012 213
								Female running down Market Street fell face down. Knock out. Cas with her 02:08	
								Drunk female has head injury. Has fallen over.	

MARKET ST INCIDENTS – July 2012

Date	Time	TEN	CCTV	C & C	CIS	Innweb	Location	Comments	URN
21/07/12	01:55		9/8 @					CAS REF – 4801849 Drunk female has head injury Police request to monitor male given dispersal notice.	2012 214
21/07/12	03:48		9/13 @				Market Street	Male with 2 females. He is covered in blood.	2012 215
22/07/12	02:03			80 22/07/12 @			Market Street	Fight and runners. Persons refusing details	2012 216
22/07/12	01:30			311 22/07/12 @	LN/03906/12-5		Ciros	Mobile phone stolen from back pocket. Victims mobile phone stolen from trouser pocket whilst in nightclub.	2012 217
27/07/12	23:50		10/8 @				The Lamb Ashby	Fight outside the Lamb. Staff requested the police. Police informed	2012 218
27/07/12	23:52			945 27/07/12 @			Lamb	TV06 reporting domestic at location	2012 219
28/07/12	02:58		11/1 @				Market Street	Police with males on Market Street	2012 220
28/07/12	03:35		11/5 @				The Mews Ashby	Male urinating in public place	2012 221
28/07/12	23:30			356	LN/04057/12-1	18157	Ciros	Caller assaulted last night just after	2012

MARKET ST INCIDENTS – July 2012

Date	Time	TEN	CCTV	C & C	CIS	Innweb	Location	Comments	URN
				28/07/12 @				midnight by a known female and male name not known. Connected to linked incident LEP-240712-0501	222
								Victim in nightclub when he is approached by a male and female who hit him around the face and head. Minor injuries sustained.	
								Victim assaulted inside premises by his ex-girlfriend's sister and an unknown male. Minor facial injury sustained.	
29/07/12	00:46			12/1 @			Ciros Ashby	Door staff with males in the Ashby fish bar. All seems calm	2012 223
29/07/12	00:56			12/3 @			Bunka club Ashby	From police reports of male with head injury from Bunka club	2012 224
29/07/12	02:53			12/9 @			Market Street	Aggressive group	2012 225

MARKET ST INCIDENTS - August 2012

Date	Time	TEN	CCTV	C & C	CIS	Innweb	Location	Comments	URN
Date	Incident Time	TEN Y/N	CCTV	Command & Control	CIS	Innweb	Location	Comments	URN
03/08/12	22:48		1/12 @				The Lamb	Request from the Lamb to the Bulls head to refuse 2 males. Now have been refused. Male is now arguing with a female outside Bulls Head	2012 226
04/08/12	00:30			491 06/08/12 @	LN/04181/12-2		Ciros	Handbag stolen whilst at club Victim was dancing on the dance floor and she had her bag next to her feet. Unknown persons have stolen victims bag	2012 227
04/08/12	02:31		3/10 @				Market Street	Male on Market Street with a bottle outside HSBC	2012 228
04/08/12	02:42		3/12 @				Ciros	Police go into Ciros come out with a male has been detained other male arguing with police. Now female detained	2012 229
04/08/12	02:55		3/16 @				North Street	Request to monitor a Red BMW parked North Street car park. Possibly drunk in charge. If car is driven away registration is X128 LCY	2012 230
05/08/12	01:13		4/3 @				Ciros	Police run over to Ciros bring out 2 males. detained. No radio contact from door staff	2012 231
05/08/12	02:18		4/10 @				Ciros	2 males arguing outside Ciros. Police now moved them on	2012 232

APP 9

MARKET ST INCIDENTS – August 2012

Date Time TEN CCTV C & C CIS Innweb Location Comments URN

05/08/12	03:05			4/15 @				Market Street	Request from police to monitor 3 males on Market Street	2012 233
10/08/12	23:56			5/19 @				Ashby Grill	Reg number (VRM) parked on the crossing whilst visit to grill.	2012 234
11/08/12	00:13			6/1 @				Ciros	2 males come from Ciros. One very drunk falls on his face in the road.	2012 235
11/08/12	01:21			6/6 @				Ciros	Male come out of Ciros now arguing with door staff. Police now with him	2012 236
11/08/12	01:28			6/9 @				Market Street	Very drunk male now in the door way of Peacocks	2012 237
11/08/12	02:13			6/12 @				Ciros	Male come out of Ciros very drunk. Came close to falling under a HGV. Police with him.	2012 238
11/08/12	03:04			6/19 @				Ciros	Aggressive male outside Ciros	2012 239
12/08/12	02:15			7/5 @				Market Street	Request to monitor female being sick, now moved on no footage.	2012 240
12/08/12	03:37			7/13 @				Market Street	2 males and 2 females on Market Street	2012 241
18/08/12	00:56			8/1 @				Bulls Head	2 females 1 arguing with door staff. Now moved on.	2012

MARKET ST INCIDENTS – August 2012

Date	Time	TEN	CCTV	C & C	CIS	Innweb	Location	Comments	URN
18/08/12	02:24		8/12 @				Ciros	Female come from Ciros arguing with male. All now silent	242
18/08/12	03:02			120 18/08/12 @			Market Street	2 males fighting outside the Co Op. Area search no trace	243
18/08/12	03:37			138 18/08/12 @			Ashby fish bar	Ambulance requesting police presence. Report of a 23 year old male collapsed. Advised by member of public male kicking off.	244
19/08/12	01:26		9/6 @				Ciros	Very drunk female on Market Street with a male seem to be arguing.	245
25/08/12	02:44			96 25/08/12 @	LN/04496/12-2	18431	Ciros	Police with male who has been assaulted. Minor injuries to his face and hand. Ambulance requested. Male assaulted by suspects inside nightclub Male assaulted on the dance floor inside the premises. Two males arrested. One offender charged with Common Assault and appearing at Hinckley Magistrates Court on 11/9/12.	246
26/08/12	01:03			44 26/08/12			Market Street	Caller reporting that rival taxis are parking on the path in the	247

MARKET ST INCIDENTS – August 2012

Date	Time	TEN	CCTV	C & C	CIS	Innweb	Location	Comments	URN
26/08/12	02:14			@ 91 26/08/12 @			Market Street	Market Place. Police with male who has cut above right eye. Ambulance requested. Male was seen to fall over several times.	248 2012 249
26/08/12	03:00				LN/4559/12-2		Market St	Taxi driver refuses to take fare as he is already booked. Male then kicks out at taxi as it drives off causing damage to rear nearside panel.	2012 250
31/08/12	23:13		10/4 @				Bunka Club Ciros	2 males arguing with door staff. Now gone to Ciros. Refused.	2012 251
31/08/12	23:37			826 31/08/12 @	LN/04617/12-7	18432	The Lamb	Call from Ambulance. 33 year old male has been glassed. Head injury bleeding. Male is in pub with friends when a fight starts on the dance floor. Whilst trying to separate both parties victim is hit on the head by unknown male from behind with a glass which smashes and the suspect hits the male again to the head causing deep gash to head. Male inside the premises when he is hit over the head by a bottle. Conveyed to hospital to receive treatment for his injuries.	2012 252

MARKET ST INCIDENTS – August 2012

Date	Time	TEN	CCTV	C & C	CIS	Innweb	Location	Comments	URN
------	------	-----	------	-------	-----	--------	----------	----------	-----

DD 10

SATURATION ZONE INCIDENTS - Sept 2012

Date	Time	TEN	CCTV	C & C	CIS	Innweb	Location	Comments	URN
Date	Incident Time	TEN Y/N	CCTV	Command & Control	CIS	Innweb	Location	Comments	URN
01/09/12	00.10		1/11 @				Ashby	Obs for 2 males in pink polo shirt other in chq shirt red in Ashby area if seen inform control.	2012 253
01/09/12	02.37		2/15 @				Ciros	Monitoring police go into Ciros and remove 2 males	2012 254
02/09/12	00.32		3/3 @				Ciros	Monitoring door staff at Ciros with male on floor	2012 255
02/09/12	01.38		3/9 @				Market St	Monitoring a very drunk male on Market St	2012 256
07/09/12	23.35		4/10 @				Lamb	Request Ciros not to allow a drunk female in now refused.	2012 257
08/09/12	23.46		5/1 @				Lamb	Monitoring 4 males pushing and arguing outside Lamb now refused gone in to the Bunka Club	2012 258
08/09/12	23.50		5/4 @				Bunka	Monitoring a male arguing with the door staff at Bunka	2012 259
09/09/12	00.00			79 of			The loft	Caller states she was assaulted by a female after what she believes was a disagreement with the suspects daughter. Caller was knocked to ground. Police made contact believe not as reported.	2012 260
				10/9/12			Ciros?		
				Reported late					

SATURATION ZONE INCIDENTS – Sept 2012

Date	Time	TEN	CCTV	C & C	CIS	Innweb	Location	Comments	URN
09/09/12	00.05		5/6	@			Ciros	Monitoring 2 very drunk males on Market St now have gone into Ciros no contact with staff.	2012 261
09/09/12	00.19		5/9	@			Ciros	Monitoring male refuse in ciros now arguing	2012 262
09/09/12	00.23		5/11	@			South St	Monitoring 2 males 1 very drunk blood on his face arguing with door staff now in van (VRM) police aware	2012 263
09/09/12	00.40		5/15	@			Ciros	Monitoring 2 males arguing with the Ciros door staff	2012 264
09/09/12	01.22		5/17	@			Lamb	Request CAS for a female with broken ankle and very drunk.	2012 265
09/09/12	01.31		5/19	@			Market St	Police request for me to monitor a very drunk female with a male	2012 266
09/09/12	01.43		6/1	@			Ciros	Monitoring 2 drunk males outside Ciros	2012 267
09/09/12	02.23		6/3	@			Ciros	Monitoring a very drunk female just come from Ciros	2012 268
14/09/12	19:23			614 14/09/12 @			South Street	Youths rolling spill up.	2012 269

SATURATION ZONE INCIDENTS – Sept 2012

Date	Time	TEN	CCTV	C & C	CIS	Innweb	Location	Comments	URN
14/09/12	21.20		7/1 @				North St	Monitoring a group of teenage males with foam on North St	2012 270
14/09/12	22.23		7/3 @				Market St Co op	Request police in the Co op to cover the floor whilst the staff go to the back.	2012 271
14/09/12	22.26		7/13 @				Market St	Monitoring 3 known males from Coalville on Market St now gone into Brook St	2012 272
14/09/12	22.28		7/16 @				The Mews	Police request me to monitor down the Mews.	2012 273
14/09/12	23.13		8/1 @				Bath St	Police request me to monitor a group of males on Bath St	2012 274
14/09/12	23.21		8/3 @				Market St	Police request me to monitor a male and female on Market St	2012 275
15/09/12	00:47		8/20 & 9/1 @	47 15/09/12 @	LN/04862/12-6		Market Street	Report of an assault on Market St nothing on camera and none of the pubs have seen anything Friend has been assaulted by known male. Victim states he was punched to the head by 2 males.	2012 276
15/09/12	02.37		9/11				Market St	Monitoring 2 females on one of the rides on the fair.	2012

SATURATION ZONE INCIDENTS – Sept 2012

Date	Time	TEN	CCTV	C & C	CIS	Innweb	Location	Comments	URN
15/09/12	21:00		@		LN/4874/12-6 @		Market Street	Elderly lady found slumped in the street. Female appears confused. Member of the public takes lady home.	277 2012 278
15/09/12	21:46		10/1 @				Bowling Green	Monitoring a group of males with Carling on the Bowling Green area now towards Smisby Rd	2012 279
22/09/12	02:21		11/8 @				Ciros	Monitored an aggressive male on Market St	2012 280
22/09/12	23:28		12/16 @				South St	Noticed a drunk/ distressed male	2012 281
22/09/12	23:42		12/18 @				Ciros	Noticed a drunk male outside Ciros	2012 282
23/09/12	01:17		13/7 @				Ciros	Via police monitored aggressive male with door staff and officers	2012 283
23/09/12	01:30			249 23/09/12 @	LN/05010/12-0		Market Street	Caller reporting robbery. Following being attacked. Four males walking through alleyway when they are set upon by other males and personal property stolen.	2012 284
23/09/12	01:57		13/13				Ciros	Via police monitored male on request	2012

SATURATION ZONE INCIDENTS – Sept 2012

Date	Time	TEN	CCTV	C & C	CIS	Innweb	Location	Comments	URN
23/09/12	02:31		@ 13/17				Burger Van	Requested to monitor the burger van area	285 2012
29/09/12	01:05		@ 14/14				Market St	Police given a Section 27 to IC1 male in police van & asked to monitor. Said male left in taxi NFA.	286 2012
29/09/12	02:20		@		LN/5078/12-8 @		Market Street	Verbal altercation between 2 groups. Suspect then throws a punch at victim hitting him on the left cheek causing redness.	2012 288
29/09/12	02:30			277 29/09/12 @	LN/05083/12-7		Queens Head	Theft of mobile phone. Victim left phone in bag on bar. Phone then found missing. Believed stolen.	2012 289
29/09/12	03:13			115 29/09/12 @			Market Street	Adult male has fallen over. Got a gash to his nose. Ambulance requested.	2012 290
29/09/12	21:33	Y Ciros and VIP	15/12	744 29/09/12 @	LN/05091/12-5	18575	Bulls Head	IC1 male detained with quantity of drugs, police informed and said male arrested. Bulls head requesting assistance male found with large amount of drugs. Male is detained by door staff	2012 291

SATURATION ZONE INCIDENTS – Sept 2012

Date Time TEN CCTV C & C CIS Innweb Location Comments URN

29/09/12	22:35	Y Ciros and VIP	16/1	791 29/09/12 @				at Bulls Head in the toilets where he is believed to have taken cocaine. Police searched the male and found a bag of vegetable and green matter in his jacket pocket. Male found by door staff in the toilets of the premises with what they believe to be a quantity of drugs. Male searched by police officers and found to be in possession of vegetable matter and white powder. Caution for possession of controlled substance later administered.	2012 292
		00.00 - 04.00					Market Street	Staff a White Hart assaulted and detained said male. Control informed then at 22.30 they requested CAS as male coughing blood control informed. Police on screen 22.33 male treated and given dispersal at 23.08 and left via taxi at 23.20. Male coughing blood outside White Hart. Ambulance	

SATURATION ZONE INCIDENTS - Sept 2012

Date Time TEN CCTV C & C CIS Innweb Location Comments URN

30/09/12	01:00	Y	Ciros and VIP	00.00 - 04.00								requested. Theft of handbag.	2012
					129 30/09/12 @	LN/05108/12-7:					Ciros	Handbag placed on bar whilst placing an order. Victim found out it was missing after being served.	293
30/09/12	01:00	Y	Ciros and VIP	00.00 - 04.00								Reporting assault. Victim is a DJ at location. As she tries to collect her belongings something happens and the next minute she is escorted out of the hotel and being assaulted on the street.	2012
					162 30/09/12 @	LN/05162/12-3					Queens Head	Female alleges that she is assaulted by premises staff.	294
30/09/12	02:19	Y	Ciros and VIP	00.00 - 04.00								Female collapsed. Believe drink spiked. Ambulance requested but female refused to co operate Asked to monitor "poorly" female outside Ciros she was taken inside to await CAS at 02.22.	2012
					79 30/09/12 @						Queens Head	Female collapsed. Believe drink spiked. Ambulance requested but female refused to co operate Asked to monitor "poorly" female outside Ciros she was taken inside to await CAS at 02.22.	295
												18 year old male found	

SATURATION ZONE INCIDENTS – Sept 2012

Date	Time	TEN	CCTV	C & C	CIS	Innweb	Location	Comments	URN
								collapsed in premises whilst at TEN event. Believed to have had drink spiked.	

SATURATION ZONE INCIDENTS DURING TEMPORARY EVENTS

Date	Time	TEN	CCTV	C & C	CIS	Inweb	Location	Comments	URN
12/11/11	01.45	Y CIRO S 02.00- 03.00 12/11/ 11		65 OF 12/11/11 @			Ciros Market St	NO CCTV LOGS RECEIVED FOR THIS TEN Complaint of assault by doorstaff on being ejected. On re contact, declined to follow up.	TEN 85
12/11/11	02.00	Y CIRO S 02.00- 03.00 12/11/ 11			LN4807/11-6		Bulls Head Market St	Damage to small leaded window at front of public house.	TEN 86
XXXXXXXX	XXX	XXX	XXX	XXXXXX	XXXXXXXX	XXXX	XXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXX	XX

SATURATION ZONE INCIDENTS DURING TEMPORARY EVENTS

Date	Time	TEN	CCTV	C & C	CIS	Inweb	Location	Comments	URN
04/12/11	00.28	Y CIRO S 01.00- 03.00 04/12/ 11	20/12 @				Ciros Market St	Monitored male ejected from Ciros	TEN 87
04/12/11	00.56	Y CIRO S 01.00- 03.00 04/12/ 11	20/13 @				Ciros Market St	Fight outside, doorstaff dealt	TEN 88
04/12/11	02.11	Y CIRO S 01.00- 03.00 04/12/ 11	20/18 @	84 of 04/11/12			Ciros Market St	Fight inside, police attended, NTR Call to fight, no trace. Believed malicious.	TEN 89
04/12/11	02.25	Y CIRO S & VIP 01.00-	20/19 @				Market St	Noticed female drunk on the floor. monitored	TEN 90

SATURATION ZONE INCIDENTS DURING TEMPORARY EVENTS

Date	Time	TEN	CCTV	C & C	CIS	Inweb	Location	Comments	URN
09/12/11	23:35	03.00 04/12/ 11 Y 00.01 - 0300 VIP 10/12/ 11			LN5289/11-8 @		Ciros Market St	Female was removed from Ciros nightclub by doorstaff. Attempted to get back in to club, claiming her property was inside. Then asked to leave Market St by officers, but she refuses and repeatedly swears at officers. Refused PND, charged to court with Section 5 POA	TEN 91
10/12/11	00:54	Y 00.01 - 0300 VIP 10/12/ 11	21/4 @		LN5290/11-5		Market St	Monitoring a male on Market St no clothes only trainers on his feet arrested outside Ciros. Male arrested but later released no charge as "not in the public interest" to prosecute.	TEN 92
10/12/11	01:41	Y 00.01 - 0300 VIP 10/12/ 11	21/8 @				CIROC	Monitoring a male and female arguing on Market St male now punched a glass window. Male arrested.	TEN 93
10/12/11	02:09	Y 00.01	21/12				Market St	Monitoring male and female arguing	TEN 94

SATURATION ZONE INCIDENTS DURING TEMPORARY EVENTS

Date Time TEN CCTV C & C CIS Inweb Location Comments URN

10/12/11	02.17	Y 0300 VIP 10/12/ 11	@	91 of 10/12/11					Ashby Grill Market St	Monitoring police with males on Market St re a fight outside Ashby Grill 1 male detained "Fight" - 1 male arrested for drunk and disorderly, no crime report.	TEN 95
10/12/11	02.25	Y 00.01 0300 VIP 10/12/ 11	21/17 @						Ciros Market St	Monitoring male arguing with door staff outside Ciros. Police now with him.	TEN 96
XXXXXX	XXXX	XXXX 10/12/ 11	XXXX @	XXXXXX	XXXXXX	XXXXXX	XXXXXX	XXXXXX	XXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXX	XX

SATURATION ZONE INCIDENTS DURING TEMPORARY EVENTS

Date	Time	TEN	CCTV	C & C	CIS	Inweb	Location	Comments	URN
11/12/11	00.41	Y CIRO S 00.01 - 03.00 11/12/ 11	22/1 @				Market st	Monitoring police on Market St arresting a male	TEN 97
11/12/11	01.02	Y CIRO S 00.01 - 03.00 11/12/ 11	22/3 @				Ciros	Monitoring very drunk male outside Ciros very drunk.	TEN 98
11/12/11	01.17	Y CIRO S 00.01 - 03.00 11/12/ 11	22/5 @				Ciros	Monitoring male arguing with door staff and a female now others arguing	TEN 99
11/12/11	01.29	Y	22/8				Ciros	Monitoring male and female arguing with 3	TEN

SATURATION ZONE INCIDENTS DURING TEMPORARY EVENTS

Date	Time	TEN	CCTV	C & C	CIS	Inweb	Location	Comments	URN
		CIRO S 00.01 - 03.00 11/12/ 11	@					door staff out side Ciro's police now with them	100
11/12/11	01.58	Y CIRO S 00.01 - 03.00 11/12/ 11	22/11 @				Ciro's	Monitoring a drunk male arguing with door staff outside Ciro's	TEN 101
11/12/11	02.06	Y CIRO S 00.01 - 03.00 11/12/ 11	22/13 @				Ashby Grill Market st	Monitoring male in doorway of <u>Ashby Grill</u> punching something or someone now on Market St and started a fight with other male now arrested.	TEN 102
11/12/11	02.10	Y CIRO S 00.01 -	22/18 @	83 of 11/12/11			Market st	Request to monitor an aggressive male (name given) on Market St. Request from CCTV to assist doorman outside the Market. Linked due to time.	TEN 103

SATURATION ZONE INCIDENTS DURING TEMPORARY EVENTS

Date	Time	TEN	CCTV	C & C	CIS	Inweb	Location	Comments	URN
		03.00 11/12/ 11							

SATURATION ZONE INCIDENTS DURING TEMPORARY EVENTS

Date	Time	TEN	CCTV	C & C	CIS	Inweb	Location	Comments	URN
XXXXXX	XXX	XXX	XX	XXXXXX	XXXXXXXXXX	XXXXX	XXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXX	XX
17/12/11	00.00	Y CIRO S 17- 18/12/ 11 00.01 - 03.00		335 of 17/11/11 @ Reported later	LN5437/11-6		Bulls Head	Theft of phone Theft of phone, no further enquiries	TEN 104
17/12/11	00.27	Y CIRO S 17- 18/12/ 11 00.01 - 03.00	23/8 @				Lamb	Person taken by ambulance from the rear of the Lamb pub.	TEN 105
17/12/11	01.31	Y CIRO S 17- 18/12/ 11	23/16 @				Ciros	Monitored male throw a road cone into Ciros. Officers at scene dealt	TEN 106

SATURATION ZONE INCIDENTS DURING TEMPORARY EVENTS

Date	Time	TEN	CCTV	C & C	CIS	Inweb	Location	Comments	URN
17/12/11	01.46	00.01 - 03.00 Y CIRO S 17 - 18/12/ 11 00.01 - 03.00	23/8 @				Market St	Monitored aggressive male with police	TEN 107
17/12/11	03.14	Y CIRO S 17 - 18/12/ 11 00.01 - 03.00		140 of 17/12/11 @	LN5433/11-4		Market St CIROS	Male with head injury has been punched. 2 males arrested, 1 released. Male arrested sus GBH.. No ambulance available, police transport injured party to Burton hospital on blue lights. Consultant at A& E no immediate concerns. Crime LN 5433/11-4 Established that words were exchanged in Ciros prior to altercation in street. Offender received caution for ABH.	TEN 108
17/12/11	04.00	Y CIRO			LN5444/11-1		Market St	Male takes friend's car without consent and whilst under the influence of alcohol.	TEN 109

SATURATION ZONE INCIDENTS DURING TEMPORARY EVENTS

Date	Time	TEN	CCTV	C & C	CIS	Inweb	Location	Comments	URN
18/12/11	00.46	S 17 - 18/12/ 11 00.01 - 03.00	24/8 @	50 of 18/12/11 & 68 of 18/12/11	LN5645/11-8 @		Ciros & Contine ntal	Charged TWOC and drink drive. Altercation between door staff and 2 x males monitored on to the Continental. Male reports being pushed by doorstaff and hand now hurts because of this. Later attended police station and made negative statement - has broken wrist. Crime report for GBH - no action as aggrieved makes negative statement. Confirmed incident occurred at Ciros. Linked as 2 nd C&C reference is from the same person but now says it happened at Continental.	TEN 110
18/12/11	00.58	Y CIRO S 17 -		54 of 18/12/11 @			Market St	Taxi driver reports 2 females have got in to taxi but do not know where they want to go. They have refused to get out, could be drunk. Been in vehicle 30 mins.	TEN 111

SATURATION ZONE INCIDENTS DURING TEMPORARY EVENTS

Date	Time	TEN	CCTV	C & C	CIS	Inweb	Location	Comments	URN
18/12/11	01.30	Y CIRO S 17 - 18/12/ 11 00.01 - 03.00			LN5454/11-5		Ciros	Females family arrived and assisted with location, police no longer required. Theft of phone from handbag	TEN 112
XXXXXX	XXXX	XXX	XXX	XXXXX	XXXXXX	XXXX	XXXX	XXXXXXXXXXXXXXXXXXXXXX	XX

SATURATION ZONE INCIDENTS DURING TEMPORARY EVENTS

Date Time TEN CCTV C & C CIS Inweb Location Comments URN

24/12/11	00.33	Y Ciros 00.01 - 03.00 24/12// 11	25/4 @						Monitoring very drunk male on Market St	TEN 113
24/12/11	00.40	Y Ciros 00.01 - 03.00 24/12// 11	25/6 @	21 of 24/12/11	LN5577/11-9			Lamb Market St	Monitoring police with male re a broken window at the Lamb Dealing with damage to window of estate agents (originally believed to be part of the Lamb) – indicates that a male has been arrested. Mlae becomes angry and headbutts window of estate agent causing glass to break. Dealt with via restorative justice – male paid for window.	TEN 114
24/12/11	00.52	Y Ciros 00.01 - 03.00 24/12//	25/10 @					Market St	On call from L/C request to monitor male on Market St has been given a order to leave Ashby	TEN 115

SATURATION ZONE INCIDENTS DURING TEMPORARY EVENTS

Date	Time	TEN	CCTV	C & C	CIS	Inweb	Location	Comments	URN
24/12/11	00.58	11 Y Ciros 00.01 - 03.00 24/12// 11	25/13 @				South St	Possible fight starting with a group of C/V nominals	TEN 116
24/12/11	01.02	Y Ciros 00.01 - 03.00 24/12// 11	25/15 @				Lamb Market St	Male detained outside the Lamb monitoring	TEN 117
24/12/11	01.03	Y Ciros 00.01 - 03.00 24/12// 11	25/17 @		LN5590/11-6		The Bull	Male arrested outside the Bull not sure what for Suspect became very abusive in street towards passers by and door staff. Dealt with by Section 5 public order ticket.	TEN 118
24/12/11	01.07	Y Ciros 00.01 - 03.00 24/12// 11	25/19 @				The Lamb	Monitoring (named individual) outside the Lamb request from police	TEN 119

SATURATION ZONE INCIDENTS DURING TEMPORARY EVENTS

Date	Time	TEN	CCTV	C & C	CIS	Inweb	Location	Comments	URN
24/12/11	03.00	Y Ciros 00.01 - 03.00 24/12// 11		226 of 28/12/11 @ Reported later	LN5644/11-5			Theft of phone from handbag	TEN 120
24/12/11	03.26	Y Ciros 00.01 - 03.00 24/12// 11		113 of 24/12/11 @			Market St	Complains of threats by known female in "club" - not specified - on Market St. Followed up with complainant, no further action requested.	TEN 121
XXXXXX	XXX	XXX	XXX	XXXX	XXXXXXXX	XXXX	XXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXX	XX

SATURATION ZONE INCIDENTS DURING TEMPORARY EVENTS

Date	Time	TEN	CCTV	C & C	CIS	Inweb	Location	Comments	URN
25/12/11	01.02	Y Ciros 00.01 - 03.00 25/12/ 11	26/4 @				Ciros	Monitoring male drunk and refused entry to Ciros police now with him	TEN 122
25/12/11	01.22	Y Ciros 00.01 - 03.00 25/12/ 11	26/6 @				South st - Market St	Request to monitor male on South St now on market St	TEN 123
25/12/11	02.00	Y Ciros 00.01 - 03.00 25/12/ 11	26/8	398 of 25/12/11 @ Reported later	LN5605/11-2		Ciros	Males states he appears to have had his wallet stolen whilst in Ciros Whilst in busy club had wallet stolen from his trousers.	TEN 124
25/12/11	02.34	Y Ciros 00.01 - 03.00	26/8				Market St	Monitoring female arguing with a male outside Ciros - Ashby Grill	TEN 125

SATURATION ZONE INCIDENTS DURING TEMPORARY EVENTS

Date	Time	TEN	CCTV	C & C	CIS	Inweb	Location	Comments	URN
25/12/11	03.00	25/12/11 Y Ciros 00.01 - 03.00 25/12/11		183 of 27/12/11 @ Reported later	LN5649/11-0		Lamb Bulls head Ciros	Male reports he was in Ciros, can't remember leaving. Woke up in an alleyway near Buildbase and his trousers and trainers were missing. He has some scratches on his arms these may have been caused by him falling over. He has no injuries otherwise – he doesn't appear to have been attacked. Investigation carried out in to use of missing bank cards. Has been able to track back with friends and the transactions were made by him. Missing property never came to light, undetected theft.	TEN 126
25/12/11	03.33	Y Ciros 00.01 - 03.00 25/12/11		109 of 25/12/11 @	LN5613/11-0		Market St	Injured party of assault states that he and others were set upon by a group near CIROS – the I/P made his escape by driving a taxi a short distance away up Market St. Attempts to re contact I/p to follow this report up properly failed. Crime report LN5613/11-0 entered to record common assault. “altercation in street leads to I/p suffering nose bleed” Crime report details efforts to obtain an account from victim. Filed NFA due to lack	TEN 127

SATURATION ZONE INCIDENTS DURING TEMPORARY EVENTS

Date	Time	TEN	CCTV	C & C	CIS	Inweb	Location	Comments	URN
XXXXXX	XXX	XXX	XXX	XXXXXX	XXXXXXXXXX	XXXXXX	XXXX	of cooperation. XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XX
27/12/11	01.00	Y Ciros & VIP 00.01 - 03.00 27/12/ 11			LN5622/11-1		Ciros	No CCTV LOGS at this time for this TEN Common assault on male by ex partner using bottle and fists in club. Omplaint withdrawn	TEN 128
XXXXXX	XXX	XXX	XXX	XXXXXX	XXXXXXXXXX	XXXXXX	XXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XX

SATURATION ZONE INCIDENTS DURING TEMPORARY EVENTS

Date	Time	TEN	CCTV	C & C	CIS	Inweb	Location	Comments	URN
09/03/12	22.22	Y Ciros & VIP 00.01 - 03.00 10/03/ 12	27/10 @				Lamb	Monitored male with door staff	TEN 129
09/03/12	23.17	Y Ciros & VIP 00.01 - 03.00 10/03/ 12	27/15 @				Lamb White Hart	Monitored male from the Lamb into the White Hart, Male smashed a pint glass	TEN 130
10/03/12	01.18	Y Ciros & VIP 00.01 - 03.00 10/03/ 12	27/20 @				Ciros	Monitored male with Door staff and officers	TEN 131
10/03/12	01.44	Y Ciros	28/1				Market St	Monitored traveller males into a taxi	TEN 132

SATURATION ZONE INCIDENTS DURING TEMPORARY EVENTS

Date	Time	TEN	CCTV	C & C	CIS	Inweb	Location	Comments	URN
10/03/12	02.23	& VIP 00.01 - 03.00 10/03/ 12	@				Market St	Monitored aggressive males in to taxi	TEN 133
XXXXXXXX	XXXX	Y Ciros & VIP 00.01 - 03.00 10/03/ 12	28/3 @	XXXX	XXXXXXX	XXXX	XXXX	XXXXXXXXXXXXXXXXXXXX	XX

SATURATION ZONE INCIDENTS DURING TEMPORARY EVENTS

Date	Time	TEN	CCTV	C & C	CIS	Inweb	Location	Comments	URN
06/04/12	23.15	Y Ciros & VIP 00.01 - 03.00 07/04/ 12	29/5 @	817 of 06/04/12			Bulls Head	Male threw a bottle over the bar at staff. Door staff detained male police on route Male dispersed S27 for drunken behaviour, no crime report required.	TEN 134
07/04/12	01.09	Y Ciros & VIP 00.01 - 03.00 07/04/ 12	29/9 @	40 of 07/04/12			Market St Contine ntal (Bunka)	Monitoring males, fighting on Market St Fight on Market ST, outside Coop. Just a scuffle after drinking at Continental Bar, Dispersed now, no complaints	TEN 135
07/04/12	01.22	Y Ciros & VIP 00.01 - 03.00 07/04/	29/10/ @				Lamb	Reports of males urinating outside the Lamb	TEN 136

SATURATION ZONE INCIDENTS DURING TEMPORARY EVENTS

Date Time TEN CCTV C & C CIS Inweb Location Comments URN

07/04/12	01.43	12 Y Ciros & VIP 00.01 - 03.00 07/04/ 12		55 of 7/4/12				Contine ntal (Bunka)	‘FIGHT’ Require mobile down the Continental PH Continental is closed now, no offences bar now closed.	TEN 137
XXXXXX	XX	XXX	XXX	XXXX	XXXXXX	XXXX	XXXX	XXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXX	XX

SATURATION ZONE INCIDENTS DURING TEMPORARY EVENTS

Date Time TEN CCTV C & C CIS Inweb Location Comments URN

29/09/12	21.37	Y Ciros & VIP 00.00 - 04.00 30/09/ 12		744 OF 29/9/12	LN5091/12-5			Bulls Head	NO CCTV LOGS FOR THIS DATE YET From CCTV, Bulls Head requesting assistance, ale with large amount of drugs found. LN5091/12-5 refers. White powder and green vegetable matter located in Male's jacket. Admits possession for personal use. Cautioned.	TEN 138
29/09/12	22.35	Y Ciros & VIP 00.00 - 04.00 30/09/ 12		791 of 29/09/12 @				White Hart	Male coughing up blood, CAS required. TV06 (CCTV) suggest male was restrained by door staff. Male checked over by CAS and then dispersed form Town.	TEN 139
30/09/12	01.00	Y Ciros & VIP		162 of 30/09/12 @	LN5162/12-3			Ciros	Female reports she was a DJ at location. A verbal argument took place when she went to get her headphones and personal items from behind the DJ station.	TEN 140

SATURATION ZONE INCIDENTS DURING TEMPORARY EVENTS

Date	Time	TEN	CCTV	C & C	CIS	Inweb	Location	Comments	URN
		00.00 - 04.00 30/09/ 12						She was not able to retrieve the items and then was removed from the building by staff there thrown to the ground and then held on the ground while being beaten up. She has bruises and grazes to parts of her body from the attack/assault	
30/09/12	02.00	Y Ciros & VIP 00.00 - 04.00 30/09/ 12		129 of 30/9/12 @ Reported later	LN5108/12-7		Ciros	Still under investigation Female reports theft of bag whilst in club Handbag placed on bar whilst placing an order by the victim realised was missing after being served	TEN 141
30/09/12	02.19	Y Ciros & VIP 00.00 - 04.00 30/09/ 12		79 of 30/09/12		18577	Ciros	Reporting female 18 years collapsed conscious and breathing believed drink spiked. CAS have dealt female refused. 18 year old female found collapsd in premises whilst at TEN event	TEN 142

Ashby de la Zouche showing alcohol flagged ambulance pick-ups and licenced venues, Apr-Oct 2012

